FREEMAN®

NUMAX®

FREEMAN®

MAKING YOUR JOB MORE ENJOYABLE



Contact:
Nobe ApS
Astrupvej 4A
8550 Ryomgaard
Denmark
Tel: +45 86 15 19 13
Email: info@nobe.dk
Web: www.rgneurope.com



ONE BATTERY, MULTIPLE TOOLS
一块电池 多机共享

F20 Platform includes multiple power tools, Li-ion battery pack, and quick charger for maximum versatility and efficiency.

20V 锂电平台:电动工具、电池包、快速充电器——实现多用途与高效率最大化。

INTELLIGENT POWER SUPPLY
智能供电系统

FREEMAN tools & batteries: integrated control chips for dual communication and max operating efficiency.

FREEMAN工具与电池包：集成控制芯片，实现双重通信与运行效率最大化

INTELLIGENT CHARGING SYSTEM
智能充电系统

FREEMAN quick charger with control chip for dual communication – extends battery life while maintaining fast charging.

充电器内置芯片，实现充电过程双重通信——延长电池寿命，同时保持快速充电。

Quick Charge
High Efficiency
快充电池 效率更高



长续航 安全耐用 多重智能保护系统

LONG BATTERY DURATION SAFETY INSURANCE

INTELLIGENT CONTROL
智能控制

- Overcurrent Protection 过流保护
- Overvoltage Protection 欠压保护
- Overheating Protection 过热保护
- Overcharge Protection 过充保护



Anti-short Terminals
端子防短路结构
Insulation between each terminal for maximum protection
端子之间设有防尘防短路保护墙



Battery Level Indicator
电池电量指示灯



Rubber Mat
减震防滑橡胶垫
Rubber grip comfortable for use
兼具跌落缓冲和防滑功能



Full-Tab Battery Pack
全极耳电池包

1. Low Internal Resistance, High Power, Low Heat & Safe
2. Fast Charging & Long Cycle Life
3. Vibration-Resistant, Stable at Low Temperature

1. 低内阻，大功率，低热更安全
2. 快充耐用，循环寿命长　3. 抗振焊接，低温稳定可靠

	F2020BK 20V 2.0Ah Battery	F2040BK 20V 4.0Ah Battery	F2040BK 20V 5.0Ah Battery	F2030AT 20V 3.0Ah Battery	F2060AT 20V 6.0Ah Battery
F211A1CC 1A插充充电器 **1A Regular Charger**	Weight:475g Power:40Wh Battery Recharge Time: 140min	Weight:675g Power:80Wh Mismatch	Weight:695g Power:100Wh Mismatch	Weight:495g Power:60Wh Mismatch	Weight:715g Power:120Wh Mismatch
F2123A1CZ 2.3A快充充电器 **2.3A Quick Charger**	Weight:475g Power:40Wh Battery Recharge Time: 69min	Weight:675g Power:80Wh Battery Recharge Time: 138min	Weight:695g Power:100Wh Battery Recharge Time: 172min	Weight:495g Power:60Wh Battery Recharge Time: 104min	Weight:715g Power:120Wh Battery Recharge Time: 208min
F213A1CZK 3A快充充电器 **3A Quick Charger**	Weight:475g Power:40Wh Battery Recharge Time: 49min	Weight:675g Power:80Wh Battery Recharge Time: 99min	Weight:695g Power:100Wh Battery Recharge Time: 125min	Weight:495g Power:60Wh Battery Recharge Time: 74min	Weight:715g Power:120Wh Battery Recharge Time: 148min

BATTERY PLATFORM ADAPTER
电池平台转换器系列



DEWALT



DEVON



MAKITA



AC/DC POWER CONVERTER

Input Voltage	110~220V
Output Voltage	20V

FREEMAN® 20V MAX

F20 PLATFORM

FREEMAN® 20V MAX

F20 PLATFORM

F20 PLATFORM 100+



CONTENTS 目录

STEEL NAIL SERIES

CONCRETE NAILER SERIES
钢钉枪系列 01~09

LAS27 / FM40 / LAS40P / LA65U / LA27 / FM40 / LD40 / LASST38 / LDST64 / FMST64 / LAGF30 / LAPW75P / LDPW75 / FMPW75 / XIPW75

AIR COMPRESSOR SERIES
空压机系列 21~25

LK10L / LK6L / FCCZKTIO1 / LK4L / PSC15G / TA3GCOMP / PC6G

INSULATION NAILER SERIES
保温枪系列 10~14

LABW260P / LABW120P / LABW150P / LABW200P / FMBW120

FITTINGS
配件 26~28

FENCING STAPLER SERIES
篱笆枪系列 15~20

LA400P / LD400 / FM400 / LA315P / LD315 / FM315 / LDFS16G / FS16G / FS18G

CARPENTRY SERIES

FRAMING NAILER SERIES
斜钉枪系列 29~38

LA34100U / LD3490 / LA3490P / LD3490 / FM3490 / FM3483 / LA2190P / LD2190 / FM2190 / FM2183 / LA2190DP / LA64MCNP / XR250S

COIL NAILER SERIES
卷钉枪系列 62~66

FMCN90 / FMCN75 / FMCN65 / FMCN45 / CN65 / CN50 / CN45

NAILER & STAPLER SERIES
直钉枪 & 码钉枪系列 39~61

LA1564 / FM1564 / LAT64 / LDT64 / T64 / LAT50 / LA504050 / XAGD509040T50 / LD504050 / FM504050 / YF504050P / LDAF30 / AF30 / LAF55 / FMF50 / F50 / LD3232 / LD32425J / LD3838 / XAGD509040 / LD635 / P635 / P625 / P650 / LD1013JQ / LD1022J / 1013J / LD8016 / 8016 / LA9040 / LDT15 / 7116 / FM9040 / XAKC9040 / XAKC9032 / FMN851

SPECIALTY NAILER SERIES
特种钉枪系列 67~71

LDC24 / LDC24E / LDC17 / C20 / PF20LM / FW / FM45L / PDX50Q / DPN350S / DPN50LT / PWC200 / CS16 / KBD50

LITHIUM-ION TOOLS SERIES
锂电工具系列 76~83

FCHM35 / FCJD65 / FCJD120 / FCJD230 / FCJW230 / FCSB01 / FCTS01 / FCTS02 / FCML01 / FCML02 / FCML05 / FCML04



CONCRETE NAILER SERIES
钢钉枪系列

LAS27 / FM40 / LAS40P / LA65U / LA27 / FM40 / LD40 / LASST38 / LDST64 / FMST64 / LAGF30 / LDPW75 / FMPW75 / XIPW75

NEW

BL LAS27

锂电钢钉枪

CORDLESS CONCRETE NAILER



PATENT 专利技术

3.1kg

20% LIGHTER
轻20%

30% SMALLER VOLUME
体积小30%

50% LONGER LIFE
寿命提升50%



Quick-Change Dual Bracket
双支架快换



Applications / 应用

- Plumbing Work 水暖、管道安装
- Fastening Steel Sheet To Concrete Or Brick Wall 铁板和混凝土或砖墙固定
- For Installation of Doors, Windows, and Partitions 门窗、隔断制作安装

- **Extended Nozzle** 长枪嘴
- **Adjustable Depth** 可调深设计
- **Quick-change Nozzle** 快速更换功能头



Product Specification / 产品参数	LAS27
Nail Range/Shank Range/钉子规格	16~27mm, ϕ2.7~3.0mm
Motor/电机	Brushless
Magazine Capacity/装钉数量	34pcs
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Battery Duration/续航能力	800 pcs(4.0Ah)(188.5psi) 800枚(4.0Ah)(188.5psi)
Dimension (w/o battery)/产品尺寸(不含电池)	360x100x330mm
Weight (w/o battery)/产品重量(不含电池)	3.1kg

NEW

FM40

CONCRETE NAILER

气动40钢钉枪



Product Specification / 产品参数	FM40
Dimension/产品尺寸	360x109x360.5mm
Weight/产品重量	3.2kg

NEW

LAS40P BL

CORDLESS CONCRETE NAILER

智能锂电40钢钉枪



Product Specification / 产品参数	LAS40P
Dimension/产品尺寸	360x100x330mm
Weight/产品重量	3.2kg

STRIP CONCRETE PIN NAILS

- For Doors, Windows And Compartments Installation 门窗、隔断制作安装
- Fastening Steel Sheet To Concrete Or Brick Wall 铁板和混凝土或砖墙固定







PIPE CLAMP



U型迫码卡　连排迫码卡





PIPE STRAP CLAMP



骑马卡　塑料连排骑马卡

CABLE WIRE CLIP



单钉卡　双钉卡



MAGNET PIPE CLAMP





CONCRETE NAIL



单科钢钉　吊顶钢钉



THREADED CONCRETE NAIL



螺纹铆钉



NEW

BL LA65U

智能锂电钢钉枪

SMART CORDLESS CONCRETE NAILER



PATENT 专利技术

10% LIGHTER
轻10%

35% MORE POWERFUL
力大35%

50% LONGER LIFE
寿命提升50%



Quick-Change Dual Bracket
双支架快换



Applications / 应用

- Plumbing Work
  水暖、管道安装
- Fastening Steel Sheet To Concrete Or Brick Wall
  铁板和混凝土或砖墙固定
- For Installation of Doors, Windows, and Partitions
  门窗、隔断制作安装

- Extended Nozzle
  长枪嘴
- Adjustable Depth
  可调深设计
- Quick-change Nozzle
  快速更换功能头



Product Specification / 产品参数	LA65U
Nail Range/Shank Range/钉子规格	16~40mm,φ2.7~3.0mm
Motor/电机	Brushless
Magazine Capacity/装钉数量	34pcs
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Battery Duration/续航能力	Nails per charge up to 750 pcs(4.0Ah)(115PSI) Nails per charge up to 950 pcs(4.0Ah)(100PSI) 满电打钉数约750枚(4.0Ah)(8公斤) 满电打钉数约950枚(4.0Ah)(7公斤)
Dimension (w/o battery)/产品尺寸(不含电池)	394x386x116mm
Weight (w/o battery)/产品重量(不含电池)	3.68kg

LCD 液晶显示



- Pressure Display 压力显示
- Error Code Display 故障代码显示
- Battery Level and Temperature Display 电池电量/温度显示
- Nail Count Display 打钉数量显示

...

Soft Touch Technology 软撞击专利技术



- Patent "Soft Touch" Technology, Extends Blade Life by about 50%
- Upgraded With S7 Steel Blade
- 软撞击专利技术，寿命提升约50%
- 全新升级，撞针采用进口S7材料

Convenient Maintenance, Easy Replacement
维护方便，易损件轻松更换



- Remove 4 Screws, Replace Blade Easily
  No Need To Return The Tool To Factory For Maintenance
- 仅需拆卸4颗螺丝，轻松更换撞针
  对比竞品，无需返厂维修

Powerful, Power Adjustable
力量大，力度可调



- Factory-Preset Power Exceeds 40mm Gas Nailer
- Adjust to 1.1 MPa: Powerful as 65mm Gas Nailer
- 10% More Powerful, Power up to 135J, Outperforms Competitors' 95J
- 出厂能量即远高于40瓦斯枪
- 力大10%，气压调至11公斤，相当于65瓦斯枪能量
- 能量高达135J, 对比竞品约95J

LA27P BL
SMART CORDLESS CONCRETE NAILER
智能锂电钢钉枪

NEW

PATENT 专利技术



Applications / 应用

- **Plumbing Work** 水暖、管道安装
- **Doors, Windows, and Partitions** 门窗、隔断制作安装
- **Fasten Steel Sheet To Concrete Or Brick** 铁板和混凝土或砖墙固定

50% **Longer Life** 寿命提升50%

Quick Repair 维修便携

10% **More Powerful** 力度可调

Product Specification	LA27U
Nail Range/Shank Range/钉子规格	16~27mmϕ 2.7~3.0mm
Magazine Capacity/装钉数量	34pcs
Strike Rate/打钉速率	90~120 nails/min
Battery Duration/续航能力	750 pcs(4.0Ah)(100Psi) 950 pcs(4.0Ah)(85Psi)
Dimension (w/o battery)/产品尺寸(不含电池)	394x386x116mm
Weight (w/o battery)/产品重量(不含电池)	3.55kg



LD40B
CORDLESS CONCRETE NAILER
锂电钢钉枪

PATENT 专利技术



Applications / 应用

- **Plumbing Work** 水暖、管道安装
- **Doors, Windows, and Partitions** 门窗、隔断制作安装
- **Fasten Steel Sheet To Concrete Or Brick** 铁板和混凝土或砖墙固定

Soft Touch Technology 软接触专利技术

Quick Repair 维修便携

Power Adjustable 力度可调

Product Specification / 产品参数	LD40B
Nail Range/Shank Range/钉子规格	16~40mm,ϕ2.7~3.0mm
Magazine Capacity/装钉数量	34pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Battery Duration/续航能力	750 nails max (4.0Ah, 100Psi/7bar) 950 nails max (4.0Ah, 85Psi/6bar) 750枚（4.0Ah丨7公斤） 950枚（4.0Ah丨6公斤）
Dimension (w/o battery)/产品尺寸(不含电池)	394x386x116mm
Weight (w/o battery)/产品重量(不含电池)	4.13kg



LASST38 BL
CORDLESS ST HEAVY DUTY CONCRETE NAILER
锂电ST38钢钉枪

NEW

PATENT 专利技术



Applications / 应用

- **Joining Wood Strips** 横梁连接
- **Wood To Concrete** 木板与混凝土连接

Soft Touch Technology 软接触专利技术

Quick Repair 维修便携

Power Adjustable 力度可调

Product Specification / 产品参数	LASST38
Nail Range/Shank Range/钉子规格	18~38mm, ϕ2.2mm
Magazine Capacity/装钉数量	80pcs
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Kinetic Energy/动能	50-67J
Dimension (w/o battery)/产品尺寸(不含电池)	316x98x320mm
Weight (w/o battery)/产品重量(不含电池)	3.3kg



LDST64 BL
CORDLESS ST HEAVY DUTY CONCRETE NAILER
锂电ST64钢钉枪

PATENT 专利技术



Applications / 应用

- **Joining Wood Strips** 横梁连接
- **Wood To Concrete** 木板与混凝土连接

Product Specification / 产品参数	LDST64
Nail Range/Shank Range/钉子规格	18~64mm, ϕ2.2mm
Magazine Capacity/装钉数量	80pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	80J
Dimension (w/o battery)/产品尺寸(不含电池)	386x115x395mm
Weight (w/o battery)/产品重量(不含电池)	4.4kg



FMST64
14 GA. 2-1/2" (64mm) HEAVY DUTY CONCRETE NAILER
气动ST64钢钉枪







G2

ONLY 2.8kg

Applications / 应用

- **Joining Wood Strips** 横梁连接
- **Wood To Cement** 木板与水泥连接

Product Specification / 产品参数	FMST64
Nail Range/Shank Range/钉子规格	18~64mm, Ø2.2mm
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	100pcs
Air Consumption/耗气量	5.4L/S
Strike Rate/打钉速率	2 nails/sec
Dimension/产品尺寸	344x108x311mm
Weight/产品重量	2.8kg



LAGF30 BL
CORDLESS CONCRETE T NAILER
锂电干壁钉枪

NEW

PATENT 专利技术



Applications / 应用

- **Baseboard Installation & Fastening Iron** 踢脚线安装薄铁片与水泥、木头连接
- **Aluminium Sheet to Concrete/Wood** 薄铝皮与水泥、木头连接

Product Specification / 产品参数	LAGF30
Magazine Capacity/装钉数量	120pcs
打钉速率	90~120 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	329x325x113mm
Weight (w/o battery)/产品重量(不含电池)	3.1kg

LAPW75P BL
SMART CORDLESS SINGLE PIN CONCRETE NAILER
锂电单颗钢钉枪

NEW

PATENT 专利技术



50% Longer Life 寿命提升50%

Power Adjustable 力度可调

Quick Repair 维修便携

LCD 液晶显示

Applications / 应用
- **For Doors, Windows And Compartments Installation**
  门窗、隔断制作安装
- **Wood To Concrete**
  木板与混凝土连接

Product Specification / 产品参数	LAPW75P
Nail Range/Shank Range/钉子规格	19~75mm,ϕ 3.7mm
Magazine Capacity/装钉数量	1pc
Kinetic Energy/动能	100~135J
Dimension (w/o battery)/产品尺寸(不含电池)	378x110x266mm
Weight (w/o battery)/产品重量(不含电池)	3.4kg



LCD
液晶显示



SOFT TOUCH TECHNOLOGY
双活齿专利技术



› Remove 4 screws
EASY REPLACEMENT
维修方便



› Power up to 135J
POWER ADJUSTABLE
力度可调

LDPW75 BL
CORDLESS SINGLE PIN CONCRETE NAILER
锂电单颗钢钉枪



PATENT 专利技术



Soft Touch Technology 软撞击专利技术

Power Adjustable 力度可调

Quick Repair 维修便携

Product Specification / 产品参数	LDPW75
Nail Range/Shank Range/钉子规格	19~75mm,ϕ 3.7mm
Magazine Capacity/装钉数量	1pc
Kinetic Energy/动能	100~120J
Dimension (w/o battery)/产品尺寸(不含电池)	394x311x116mm
Weight (w/o battery)/产品重量(不含电池)	3.74kg

FREEMAN STEEL NAIL SERIES CONCRETE NAILER

FMPW75
SINGLE PIN CONCRETE NAILER
气动单颗钢钉枪



ONLY 2.46kg



Product Specification / 产品参数	FMPW75
Nail Range/Shank Range/钉子规格	19~75mm,ϕ 3.7mm
Magazine Capacity/装钉数量	1pc
Operating Pressure/工作气压	70~115psi(5~8Bar)
Dimension/产品尺寸	345X110X351mm
Weight/产品重量	2.46kg

XIPW75
SINGLE PIN CONCRETE NAILER
气动单颗钢钉枪





Product Specification / 产品参数	XIPW75
Nail Range/Shank Range/钉子规格	19~75mm,ϕ 3.7mm
Magazine Capacity/装钉数量	1pc
Operating Pressure/工作气压	5-8bar(70-115psi)
Dimension/产品尺寸	382x113x366mm
Weight/产品重量	2.82kg

CONCRETE T NAIL
- **Baseboard Installation & Fastening Iron**
  踢脚线安装薄铁片与水泥、木头连接
- **Aluminium Sheet to Concrete/Wood**
  薄铝皮与水泥、木头连接





SINGLE PIN CONCRETE NAIL
- **For Doors, Windows And Compartments Installation**
  门窗、隔断制作安装
- **Wood To Concrete**
  木板与混凝土连接





CONCRETE NAIL
- **Joining Wood Strips**
  横梁连接
- **Wood To Concrete**
  木板与混凝土连接









INSULATION NAILER SERIES

保温枪系列

LABW260P / LABW120P / LABW150P / LABW200P / FMBW120

LABW260P BL

SMART CORDLESS 260 INSULATION NAILER

智能锂电260保温枪

NEW

PATENT 专利技术

仅 ONLY 3.5kg



- Soft Touch Technology 软撞击专利技术
- Power Adjustable 力度可调
- Quick Repair 维修便携
- LCD 液晶显示

Applications / 应用

› For Fastening Insulation Materials Like Stone Wool, Foam To Concrete, Brick, Steel, Etc.
用于将保温材料(如石棉、泡沫)固定在混凝土、砖、钢等材料上。

Product Specification / 产品参数	LABW260P
Nail Range/Shank Range/钉子规格	50~260mm, Ø49mm
Magazine Capacity/装钉数量	1 pc
Kinetic Energy/动能	MAX. 135J
Battery Duration/续航能力	up to 650 pcs(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	445X110X267mm
Weight (w/o battery)/产品重量(不含电池)	3.5kg





LCD
液晶显示



SOFT TOUCH TECHNOLOGY
双活齿专利技术

› Remove 4 screws



EASY REPLACEMENT
维修方便

› Power up to 135J



POWER ADJUSTABLE
力度可调







LABW120P BL
SMART CORDLESS 120 INSULATION NAILER
智能锂电120保温枪

NEW

PATENT 专利技术

仅 ONLY 3.37kg

Soft Touch Technology 软撞击专利技术

Power Adjustable 力度可调

Quick Repair 维修便携

LCD 液晶显示





Applications / 应用

› **For Fastening Insulation Materials Like Stone Wool, Foam To Concrete, Brick, Steel, Etc.**
用于将保温材料(如石棉、泡沫)固定在混凝土、砖、钢等材料上。

Product Specification / 产品参数	LABW120P
Nail Range/Shank Range/钉子规格	50~120mm, Ø49mm
Magazine Capacity/装钉数量	1 pc
Kinetic Energy/动能	MAX. 135J
Battery Duration/续航能力	up to 650 pcs(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	445X110X267mm
Weight (w/o battery)/产品重量(不含电池)	3.37kg

LABW150P BL
SMART CORDLESS 150 INSULATION NAILER
智能锂电150保温枪

NEW

PATENT 专利技术

仅 ONLY 3.4kg

Soft Touch Technology 软撞击专利技术

Power Adjustable 力度可调

Quick Repair 维修便携

LCD 液晶显示



Applications / 应用

› **For Fastening Insulation Materials Like Stone Wool, Foam To Concrete, Brick, Steel, Etc.**
用于将保温材料(如石棉、泡沫)固定在混凝土、砖、钢等材料上。

Product Specification / 产品参数	LABW150P
Nail Range/Shank Range/钉子规格	50~150mm, Ø49mm
Magazine Capacity/装钉数量	1 pc
Kinetic Energy/动能	MAX. 135J
Battery Duration/续航能力	Up to 650 pcs(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	525X110X267mm
Weight (w/o battery)/产品重量(不含电池)	3.4kg

LABW200P BL
SMART CORDLESS 200 INSULATION NAILER
智能锂电200保温枪

NEW

PATENT 专利技术

仅 ONLY 3.45kg

Soft Touch Technology 软撞击专利技术

Power Adjustable 力度可调

Quick Repair 维修便携

LCD 液晶显示



Applications / 应用

› **For Fastening Insulation Materials Like Stone Wool, Foam To Concrete, Brick, Steel, Etc.**
用于将保温材料(如石棉、泡沫)固定在混凝土、砖、钢等材料上。

Product Specification / 产品参数	LABW200P
Nail Range/Shank Range/钉子规格	50~200mm, Ø49mm
Magazine Capacity/装钉数量	1 pc
Kinetic Energy/动能	MAX. 135J
Battery Duration/续航能力	up to 650 pcs(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	475X110X267mm
Weight (w/o battery)/产品重量(不含电池)	3.45kg

FMBW120
INSULATION NAILER
气动保温枪

› **PENETRATES UP TO 20MM CEMENT SHEET**
轻松入水泥墙20mm以上

G2 ONLY 2.4kg

PATENT 专利技术







Applications / 应用

› **For Fastening Insulation Materials Like Stone Wool, Foam To Concrete, Brick, Steel, Etc.**
用于将保温材料(如石棉、泡沫)固定在混凝土、砖、钢等材料上。

Product Specification / 产品参数	FMBW120
Nail Range/Shank Range/钉子规格	50~120mm, Ø49mm
Operating Pressure/工作气压	90~115psi(6~8Bar)
Magazine Capacity/装钉量	1pc
Dimension/产品尺寸	390x109x356mm
Weight/产品重量	2.4kg

50-120mm

Suitable For Thinner Insulation Materials
Commonly used for fixing the insulation layer in interior decoration or lightweight walls

适用于较薄的保温材料，
通常用于室内装修或轻质墙体的保温层固定。





50-150mm

Suitable For Medium-thickness Insulation Materials
Widely used in exterior wall insulation projects of buildings

适用于中等厚度的保温材料，
广泛用于建筑外墙保温工程。







50-260mm

Suitable For Thicker Insulation Materials
Typically used in large-scale construction projects or scenarios requiring high-strength fixation

适用于较厚的保温材料，
通常用于大型建筑项目或需要高强度固定的场景。







FENCING STAPLER SERIES
篱笆枪系列

LA400P / LD400 / FM400 / LA315P / LD315 / FM315 / LDFS16G / FS16G / FS18G

LA400P BL
SMART 9 GA. CORDLESS FENCING STAPLER
智能锂电400篱笆枪

NEW

PATENT 专利技术

15% LIGHTER
轻15%，约3.98kg

50% LONGER LIFE
寿命提升50%







Applications / 应用
- **Wire Fencing, Livestock Fencing**
  铁丝围栏，牲畜围栏
- **Barbed Wire Installation**
  带刺铁丝安装

Product Specification / 产品参数	LA400P
Nail Range/Shank Range/钉子规格	38~50mm, 4.2x3.8mm
Magazine Capacity/装钉数量	50pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	100~135J
Dimension (w/o battery)/产品尺寸(不含电池)	392x110x379mm
Weight (w/o battery)/产品重量(不含电池)	3.98kg



LCD
液晶显示



SOFT TOUCH TECHNOLOGY
双活齿专利技术

- Remove **4** screws



EASY REPLACEMENT
维修方便

- Power up to **135J**



POWER ADJUSTABLE
力度可调

SIMILAR PRODUCT COMPARED WITH PREMIUM BRANDS
篱笆枪同枪型对比国际品牌

	 FREEMAN LA400	 D Brand(D品牌) 400 FENCING STAPLER(400篱笆枪)
Battery Duration(20V 4.0Ah) 满电打钉数	≈950pcs(100psi/7kg) ≈750pcs(115psi/8kg)	≈472pcs
Strength Adjustable 力度是否可调	**Yes/是**	Yes/是
Strike Power 打钉力度	**Powerful/大**	Powerless/小
Maintenance 维护便捷性	**Easy/便捷**	Difficult/繁琐

LD400 BL
9 GA. CORDLESS FENCING STAPLER
锂电400篱笆枪

NEW

PATENT 专利技术

Soft Touch Technology 软撞击结构

Power Adjustable 力度可调

Quick Repair 维修便携







Applications / 应用
- **Wire Fencing, Livestock Fencing**
  铁丝围栏，牲畜围栏
- **Barbed Wire Installation**
  带刺铁丝安装

Product Specification / 产品参数	LD400
Nail Range/Shank Range/钉子规格	38~50mm, 4.2x3.7mm
Magazine Capacity/装钉数量	54pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	95~120J
Dimension (w/o battery)/产品尺寸(不含电池)	381x117x395mm
Weight (w/o battery)/产品重量(不含电池)	4.7kg

FM400
9 GA. FENCING STAPLER
气动400篱笆枪

PATENT 专利技术

G2

ONLY 3.65kg







Applications / 应用
- **Wire Fencing, Livestock Fencing**
  铁丝围栏，牲畜围栏
- **Barbed Wire Installation**
  带刺铁丝安装

Product Specification / 产品参数	FM400
Fastener Size/钉子长度	38~50mm, 4.2x3.8mm
Fastener Type/钉子种类	9 GA. Fencing Staples
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	50pcs
Weight/产品重量	3.65kg

LA315P BL
SMART 10.5 GA. CORDLESS FENCING STAPLER
锂电315篱笆枪

NEW

PATENT 专利技术



- Soft Touch Technology 软撞击专利技术
- Power Adjustable 力度可调
- Quick Repair 维修便携
- LCD 液晶显示



Applications / 应用
- **Wire Fencing, Livestock Fencing**
  铁丝围栏，牲畜围栏
- **Barbed Wire Installation**
  带刺铁丝安装

Product Specification / 产品参数	LA315P
Nail Range/Shank Range/钉子规格	22~40mm, 2.7x3.25mm
Magazine Capacity/装钉数量	50pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	90~135J
Dimension (w/o battery)/产品尺寸(不含电池)	376X110X336mm
Weight (w/o battery)/产品重量(不含电池)	3.8kg

LD315 BL
10.5 GA. CORDLESS FENCING STAPLER
锂电315篱笆枪

PATENT 专利技术



- Soft Touch Technology 软撞击专利技术
- Power Adjustable 力度可调
- Quick Repair 维修便携



Applications / 应用
- **Wire Fencing, Livestock Fencing**
  铁丝围栏，牲畜围栏
- **Barbed Wire Installation**
  带刺铁丝安装

Product Specification / 产品参数	LD315
Nail Range/Shank Range/钉子规格	22~40mm, 2.7x3.25mm
Magazine Capacity/装钉数量	54pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	95~120J
Dimension (w/o battery)/产品尺寸(不含电池)	367x117x395mm
Weight (w/o battery)/产品重量(不含电池)	4.3kg

FM315
10.5 GA. FENCING STAPLER
气动FM315篱笆枪

PATENT 专利技术

G2 ONLY 2.3kg







Applications / 应用
- **Wire Fencing, Livestock Fencing**
  铁丝围栏，牲畜围栏
- **Barbed Wire Installation**
  带刺铁丝安装

Product Specification / 产品参数	FM315
Fastener Size/钉子长度	22~40mm, 2.7x3.25mm
Fastener Type/钉子种类	10.5 GA. Fencing Staples
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	50pcs
Weight/产品重量	2.3kg

LDFS16G BL
16 GA. CORDLESS FENCING STAPLER
锂电FS16G篱笆枪

PATENT 专利技术

2600 PCS 4.0Ah 4.0Ah满电打钉2600枚

ANTI-REBOUND 抗反弹技术



Features / 功能
- **Adjustable Depth**
  打钉深度可调节
- **Quick Jam Release**
  快拆枪嘴设计
- **LED Light Function**
  LED辅助照明灯
- **Comfortable Handle**
  包胶手柄抗疲劳





Applications / 应用
- **Animal Husbandry Fence**
  动物围栏
- **Gardening Fence**
  花园栅栏
- **Railway fence**
  铁路围墙

Product Specification / 产品参数	LDFS16G
Nail Range/Shank Range/钉子规格	18mm, ϕ2.2mm
Magazine Capacity/装钉数量	50pcs
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	326x115x329mm
Weight (w/o battery)/产品重量(不含电池)	2.95kg

FS16G
16 GA. FENCING STAPLER
气动FS16篱笆枪





Product Specification / 产品参数	FS16G
Fastener Size/钉子长度	18~25mm / 3/4"~1"
Fastener Type/钉子种类	16 GA. Fencing Staples
Operating Pressure/工作气压	60~100psi(4~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.95kg

FS18G
18 GA. FENCING STAPLER
气动FS18篱笆枪





Product Specification / 产品参数	FS16G
Fastener Size/钉子长度	10~18mm / 3/8"~3/4"
Fastener Type/钉子种类	18 GA. Fencing Staples
Operating Pressure/工作气压	60~100psi(4~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.16kg

9 Gauge

Heavy duty staples are designed for large livestock, field, and security fencing along with other heavy mesh and construction applications.





10.5 Gauge

Provides a solid grip for most fencing applications including medium-sized livestock, vineyard trellising, and deer prevention.





16 Gauge

Used for pet enclosures, small garden trellising, and anti-predator barriers for chicken and rabbit pens.





18 Gauge

Fine wire fencing is ideal for small animal pens and other lightweight fencing.







AIR COMPRESSOR SERIES
空压机系列

LK10L / LK6L / FCCZKTIO1 / LK4L / PSC15G / TA3GCOMP / PC6G

LK10L BL

10L CORDLESS AIR COMPRESSOR
锂电空压机10L

PATENT 专利技术

45.3 AIR DELIVERY 排气量 L/min

- **CORDLESS** 无绳便携
- **QUIET** 静音
- **BRUSHLESS** 无刷
- **OIL FREE** 无油



Applications / 应用

- For Pneumatic Tools, Balls And Tyres Inflation And Paint Sprayers, Etc
  气动工具、球类打气、轮胎充气、气动喷笔等

Product Specification / 产品参数	LK10L
Power/功率	500W
Max. Pressure/最大压力	120psi(8.3bar)
Cut-in/cut-off/重启/饱和压力	90psi/120psi(6.2bar/8.3bar)
Working Speed/工作转速	1500rpm
Continuous Air Delivery Time/持续输出时间(90psi)	20min(4.0Ahx2)
Continuous Fill-up Time/持续上气时间(90-120psi)	22min(4.0Ahx2)
Fully Filled Up Times/满罐次数	12 times/次(4.0Ahx2)
Dimension (w/o Battery)/产品尺寸(不含电池)	420x390x368mm
Weight (w/o Battery)/产品重量(不含电池)	11.8kg



QUIET, NOISE＜70dB(A)
静音 噪音<70dB(A)



BRUSHLESS MOTOR
无刷电机 高效耐用



LONG BATTERY Duration / DUAL BATTERY
续航强劲 双电池插口



INTELLIGENT CONTROL
智能控制 过热过流保护







	10L	8L
Tank/气罐	10L	8L
Motor/电机	Brushless/无刷	Brushless/无刷
Weight/重量	11.8kg	14.2kg
Air Delivery/排气量	45.3L / min	34L/min
Fill-up Time/上气时间	≈90s	≈100s
Max. Pressure/最大压力	8.3Bar	9.3Bar
Battery Runtime/持续使用时间	Air supply for over 1900 F30 nail shots /可打F30钉1900枚以上	Air supply for over 1200 F30 nail shots /可打F30钉1200枚以上
Cut-in/Cut-off重启/饱和压力	6.2Bar/8.3Bar	6.2Bar/8.3Bar





LK6L BL

6L CORDLESS AIR COMPRESSOR
锂电空压机6L

PATENT 专利技术

- **CORDLESS** 无绳便携
- **BRUSHLESS** 无刷
- **QUIET** 静音
- **OIL FREE** 无油

Product Specification / 产品参数	LK6L
Power/功率	400W
Max. Pressure/最大压力	120PSI(8.3Bar)
Working Speed/工作转速	2100rpm
Continuous air delivery time/持续输出时间(90PSI)	26min(4.0Ahx2)
Continuous fill-up time/持续上气时间(90-120PSI)	48min(4.0Ahx2)
Fully Filled Up Times/满罐次数	28 times/次(4.0Ahx2)
Dimension (w/o battery)/产品尺寸(不含电池)	323x352x420mm
Weight (w/o battery)/产品重量(不含电池)	10.8kg



FCTI01

PORTABLE TIRE INFLATOR
智能打气机

NEW

- **SMART DUAL DIGITAL DISPLAY** 双屏智能数显
- **3 LED LIGHT** 3种照明方式
- **5X FAST INFLATION** 5倍快速充气
- **5 MODES** 5种充气模式

REVERSE CHARGING 反向充电

TYPE-C USB接口



Product Specification / 产品参数	FCTI01
Voltage/电压	11.1V
Cylinder/气缸内径	21mm
Pressure Range/压力范围	3-150psi/0.2-10.3bar
Battery Capacity/电池容量	2000mAh*3
Inflation Time/打气时间	6 min(car tire 195/65/R15)
Product Size/产品尺寸	53*53*240mm
Product Net Weight/产品净重	0.54kg





Tire Inflation 轮胎打气



Ball Inflation 球类打气



Nailer Air Refilling 钢钉枪充气

LK4L

4L CORDLESS AIR COMPRESSOR

锂电空压机4L



- **CORDLESS**
  无绳便携
- **SMALL AND PORTABLE**
  轻巧
- **OIL FREE**
  无油

Applications / 应用

- **For Pneumatic Tools, Balls And Tyres Inflation And Paint Sprayers, Etc**
  气动工具、球类打气、轮胎充气、气动喷笔等

Product Specification / 产品参数	
Model/产品型号	LK4L
Power/功率	240W
Max. Pressure/最大压力	120PSI(8.3Bar)
Working Speed/工作转速	4200~4500rpm
Continuous air delivery time/持续输出时间(90PSI)	21min(4.0Ah)
Continuous fill-up time/持续上气时间(90-120PSI)	30min(4.0Ah)
Fully Filled Up Times/满罐次数	13 times/次(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	375x288x268mm
Weight (w/o battery)/产品重量(不含电池)	6.4kg

			
Tank/气罐	4L	4L	
Motor/电机	Brushed/有刷	Brushed/有刷	
Weight/重量	6.4kg	6.4kg	
Air Delivery/排气量	14.2L/min	14.2L/min	
Battery/电池	20V 4.0Ah	18V 4.0Ah	
Fill-up Time/上气时间	≈85s	≈85s	
Max. Pressure/最大压力	8.3Bar (120psi)	8.3Bar (120psi)	
Battery Runtime/持续使用时间	19min	19min	
Cut-in/Cut-off重启/饱和压力	6.2Bar/8.3Bar	6.2Bar/8.3Bar	
Noise/噪音	80dB(A)	82dB(A)	

PSC15G

6L SILENT OIL-FREE ELECTRIC AIR COMPRESSOR

6L交流空压机



Product Specification / 产品参数	
Capacity/气罐容量	6L
Input/输入	120V / 60Hz
Noise Level/噪音	58 dbA
Max HP/最大马力	0.8 HP
SCFM @ 90 PSI	1.4 SCFM
Max PSI/最大气压	125 PSI
Weight/产品重量	13.2kg

TA3GCOMP

12L OIL-FREE ELECTRIC AIR COMPRESSOR

12L交流空压机



Product Specification / 产品参数	
Capacity/气罐容量	12L
Input/输入	120V / 60Hz
Noise Level/噪音	85 dbA
Max HP/最大马力	1.25 HP
SCFM @ 90 PSI	2 SCFM
Max PSI/最大气压	125 PSI
Weight/产品重量	13.8kg

PC6G

24L OIL-FREE ELECTRIC AIR COMPRESSOR

24L交流空压机



Product Specification / 产品参数	
Capacity/气罐容量	24L
Input/输入	120V / 60Hz
Noise Level/噪音	80 dbA
Max HP/最大马力	1.5 HP
SCFM @ 90 PSI	2.6 SCFM
Max PSI/最大气压	150 PSI
Weight/产品重量	16.8kg

PVC AIR HOSE COUPLER
塑钢气管接头



PLASTIC-STEEL MATERIAL
Anti-aging, Corrosion Resistence, Rust-free
塑钢材质，抗老化 耐腐蚀 不生锈

PRECISE THREAD STRUCTURE
High hardness, clear and durable thread, not easy to crack
精密螺纹结构，硬度高 螺纹清晰耐磨 不易开裂

BUILD-IN HARD STEEL BALLS
Close and smooth, easy to operate
内置高硬度钢珠，紧密顺畅 操作方便



FABBC01
BRITISH MALE COUPLER
(英式塑钢外螺纹母接头)



FABAC03
AMERICAN MALE PVC COUPLER
(美式塑钢外螺纹母接头)



FABBC05
BRITISH THREE-WAY MALE COUPLER
(英式3通接头)



FABBC02
BRITISH FEMALE COUPLER
(英式塑钢外螺纹母接头)



FABAC04
AMERICAN ZINC-PLATED MALE COUPLER
(美式镀锌外螺纹接头)



FABAC06
AMERICAN THREE-WAY UNIVERSITY FEMALE COUPLER
(美式3通接头)

FANR01-20

1/4" X 65' COMPACT RETRACTABLE AIR HOSE REEL
1/4"小型可伸缩式气管卷管器

- **Production Assembly / Auto Repair / Maintenance Workshop**
  生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Dimension/产品尺寸	380×180×345mm
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	20m(outlet)+2m(inlet)
Max. PSI/最大工作压力	300 PSI
Temperature/温度	-30~50℃
Weight/产品重量	5.2 kg

- **Auto Hose Layering Guide for Less Tangles and Twisted Hose**
- 自动软管导向装置减少软管缠结和缠绕
- **Automatically Rewind Hose into Unit**
- 全自动软管自回收装置
- **Unique Locking Mechanism Stops The Hose at Any Position**
- 特殊的锁定机制在任何位置可以锁定软管

FANR02-20

3/8" X 65' COMPACT RETRACTABLE AIR HOSE REEL
3/8"小型可伸缩式气管卷管器

- **Production Assembly / Auto Repair / Maintenance Workshop**
  生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Dimension/产品尺寸	375×200×350mm
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	20m(outlet)+2m(inlet)
Max. PSI/最大工作压力	300 PSI
Temperature/温度	-30~50℃
Weight/产品重量	6.58 kg

- **Heat Treated for Hardness More Than HRC52**
- 热处理硬度大于HRC52
- **High Quality Chrome Vanadium Steel**
- 铬钒合金钢制造
- **Surface: Satin Finish**
- 表面抛光处理

3/8" X 65' HIGH FLOW PREMIUM POLYMER HYBRID AIR HOSE WITH FITTING KIT
20米3/8"气管

- **Production Assembly / Auto Repair / Maintenance Workshop**
  生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Hose Size/气管尺寸	3/8"
Hose Length/气管长度	20m
Max. PSI/最大工作压力	300 PSI
Weight/产品重量	3.28 kg

- **Brass Fittings**
- 黄铜接头
- **Cold Weather Flexibility**
- 耐寒抗热
- **Non-marring Finish**
- 管壁厚实耐磨
- **Bend Restrictors**
- 高回弹性能

1/4" X 50' POLYMER HYBRID AIR HOSE WITH FITTINGS
15米1/4" PU气管

- **Production Assembly / Auto Repair / Maintenance Workshop**
  生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	15m
Max. PSI/最大工作压力	300 PSI
Bursting Pressure/爆破压力	900 PSI
Temperature/温度	-58~121℃
Weight /产品重量	1.3 kg

- **High Quality Chrome Vanadium Steel**
- 铬钒合金钢制造
- **Heat Treated For Hardness More Than HRC52**
- 热处理硬度大于HRC52
- **Surface: Satin Finish**
- 表面抛光处理

1/4" X 100' POLYMER HYBRID AIR HOSE WITH FITTINGS
30米1/4" PU气管

- **Production Assembly / Auto Repair / Maintenance Workshop**
  生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	30m
Max. PSI/最大工作压力	300 PSI
Bursting Pressure/爆破压力	900 PSI
Temperature/温度	-58~121℃
Weight /产品重量	2.6 kg

- **Brass Fittings**
- 黄铜接头
- **Non-marring Finish**
- 管壁厚实耐磨
- **Bend Restrictors**
- 高回弹性能
- **Cold Weather Flexibility**
- 耐寒抗热

1/4" X 50' BRAIDED POLYURETHANE AIR HOSE
15米编织聚氨酯气管

- **Production Assembly / Auto Repair / Maintenance Workshop**
  生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	15m
Max. PSI/最大工作压力	300 PSI
Bursting Pressure/爆破压力	900 PSI
Temperature/温度	-30~50℃
Weight /产品重量	1 kg

- **Cold Weather Flexibility**
- 耐寒抗热
- **Bend Restrictors**
- 高回弹性能
- **Non-marring Finish**
- 管壁厚实耐磨

1/4" X 100' BRAIDED POLYURETHANE AIR HOSE
30米编织聚氨酯气管

› Production Assembly / Auto Repair / Maintenance Workshop
生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	30m
Max. PSI/最大工作压力	300 PSI
Bursting Pressure/爆破压力	900 PSI
Temperature/温度	-30~50℃
Weight /产品重量	1.7 kg

- Cold Weather Flexibility
- 耐寒抗热
- Non-marring Finish
- 管壁厚实耐磨
- Bend Restrictors
- 高回弹性能

1/4" X 50' BRAIDED POLYURETHANE AIR HOSE WITH FITTINGS
15米编织聚氨酯气管

› Production Assembly / Auto Repair / Maintenance Workshop
生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	15m
Max. PSI/最大工作压力	300 PSI
Bursting Pressure/爆破压力	900 PSI
Temperature/温度	-30~50℃
Weight /产品重量	1.7 kg

- Cold Weather Flexibility
- 耐寒抗热
- Non-marring Finish
- 管壁厚实耐磨
- Bend Restrictors
- 高回弹性能

1/4" X 100' BRAIDED POLYURETHANE AIR HOSE WITH FITTINGS
30米编织聚氨酯气管

› Production Assembly / Auto Repair / Maintenance Workshop
生产装配/维修车间/汽车维修



Product Specification / 产品参数	
Hose Size/气管尺寸	1/4"
Hose Length/气管长度	30m
Max. PSI/最大工作压力	300 PSI
Bursting Pressure/爆破压力	900 PSI
Temperature/温度	-30~50℃
Weight /产品重量	2.6 kg

- Cold Weather Flexibility
- 耐寒抗热
- Non-marring Finish
- 管壁厚实耐磨
- Bend Restrictors
- 高回弹性能

1-3/4" RAFTER HOOK WITH 1/4" NPT FITTING AND BRASS BUSHING
挂钩

Hang Tool On Belt Or Pocket For Safety While Climbing Or Moving On Site
适用于市面上所有气动打钉枪



Product Specification / 产品参数	
Hook Length/挂钩横向尺寸	1-3/4"
Arm Length/长柄尺寸	5-1/2"
Fitting/配件	1/4" NPT Straight Fitting Brass Bushing
Weight/产品重量	0.11 kg

1" BELT HOOK WITH 1/4"NPT SWIVEL FITTING
挂钩

Hang Tool On Belt Or Pocket For Safety While Climbing Or Moving On Site
工具挂于腰带或口袋，攀爬移动更安全



Product Specification / 产品参数	
Hook Length/挂钩横向尺寸	1-3/4"
Arm Length/长柄尺寸	6"
Fitting/配件	1/4" NPT Swivel Fitting Brass Bushing
Weight/产品重量	0.12 kg

1-3/4" RAFTER HOOK WITH 1/4" NPT SWIVEL FITTING AND BRASS BUSHINGG
挂钩

Hang Tool On Belt Or Pocket For Safety While Climbing Or Moving On Site
工具挂于腰带或口袋，攀爬移动更安全



Product Specification / 产品参数	
Hook Length/挂钩横向尺寸	1-3/4"
Arm Length/长柄尺寸	6"
Fitting/配件	1/4" NPT Swivel Fitting Brass Bushing
Weight/产品重量	0.14 kg



FRAMING NAILER SERIES
斜钉枪系列

LA34100U / LD3490 / LA3490P / LD3490 / FM3490 / FM3483 / LA2190P / LD2190 / FM2190 / FM2183 / LA2190DP / LA64MCNP / XR250S

LA34100U BL

智能锂电34100斜钉枪

SMART CORDLESS CLIPPED HEAD FRAMING NAILER

NEW

PATENT 专利技术

Applications / 应用

- HOUSE FRAMING
  房屋框架搭建
- DECK BUILDING
  露台建造
- SUBFLOOR INSTALLATION
  底层地板安装



10% LIGHTER
轻10%

10% MORE POWERFUL
力大10%

50% LONGER LIFE
寿命提升50%

3 NAILS/S
一秒3钉





Product Specification / 产品参数

Model/产品型号	LA34100U
Nail Range/Shank Range/钉子规格	Paper Collation(50~100mm/34°)
Magazine Capacity/装钉数量	56pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Kinetic Energy/动能	100~135J
Dimension (w/o battery)/产品尺寸(不含电池)	330X158X377mm
Weight (w/o battery)/产品重量(不含电池)	3.78kg



LCD
液晶显示



Pressure Monitoring 压力显示

Error Code Display 故障代码显示

Battery Level and Temperature Display 电池电量/温度显示

Nail Count Display 打钉数量显示

...

Soft Touch Technology
软撞击专利技术



- Patent "Soft Touch" Technology, Extends Blade Life by about 50%
- Upgraded With S7 Steel Blade
- 软撞击专利技术，寿命提升约50%
- 全新升级，撞针采用进口S7材料

Convenient Maintenance, Easy Replacement
维护方便，易损件轻松更换/清洗



- Remove 4 screws and replace the driver blade easily
  Unlike Competitors, No Factory Repair Needed
- 仅需拆卸4颗螺丝，轻松更换撞针
  对比竞品，无需返厂维修

Powerful, Power Adjustable
力量大，力度可调



- The factory-set kinetic power is 100J
- 10% More Powerful, Power up to 135J, VS Competitors' 100J
- 出厂标准能量为100J
- 力大10%，能量高达135J，对标国际品牌约100J

SIMILAR PRODUCT COMPARED WITH PREMIUM BRANDS
3490同枪型对比国际品牌

	FREEMAN	FREEMAN	D Brand(M品牌)	R Brand(R品牌)	T Brand(T品牌)	M Brand(M品牌)
Weight (W/O battery) 产品重量（不含电池）	**3.78kg**	**4.2kg**	3.9kg	4.04kg	4.02kg	4.4kg
Kinetic Energy 动能	**100~135J**	**100~120J**	80J	100J	100J	100J
Battery Duration 续航能力(5.0Ah)	**850PCS**	**850PCS**	800PCS	800PCS	800PCS	800PCS
Maintenance 维修便捷性	**Just remove 4 screws 只需拆卸4颗螺丝**	**Just remove 5 screws 只需拆卸5颗螺丝**	Difficult/繁琐	Difficult/繁琐	Difficult/繁琐	Difficult/繁琐
Strike Power Fire 90mm Framing Nai **打钉力度** 红桦木测试3490斜钉	Fully sink nails into wood 完全钉入	Fully sink nails into wood完全钉入	Not fully sink nails into wood 未完全钉入	Fully sink nails into wood 完全钉入	Not fully sink nails into wood 未完全钉入	Fully sink nails into wood 完全钉入
Strength Adjustable 补气功能	**Yes/是**	**Yes/是**	No/否	Yes/是	Yes/是	No/否
Contact mode of drive blade and drive shaft 传动轴与撞针接触方式	**Soft Touch/软接触**	**Soft Touch/软接触**	Hard Touch/硬接触	Hard Touch/硬接触	Hard Touch/硬接触	Hard Touch/硬接触

LD34100 BL
34°CORDLESS CLIPPED HEAD FRAMING NAILER
锂电34100斜钉枪

PATENT 专利技术

Soft Touch Technology 软撞击专利技术
Power Adjustable 力度可调
Quick Repair 维修便携





Applications / 应用
- **House Framing** 房屋框架搭建
- **Deck Building** 露台建造
- **Subfloor Installation** 底层地板安装

Product Specification / 产品参数	LD34100
Nail Range/Shank Range/钉子规格	Paper Collation(50~100mm/34°)
Magazine Capacity/装钉数量	50pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	100~120J
Dimension (w/o battery)/产品尺寸(不含电池)	370x340x131mm
Weight (w/o battery)/产品重量(不含电池)	4.13kg

LA3490P BL
SMART 34° CORDLESS CLIPPED HEAD FRAMING NAILER
智能锂电3490斜钉枪

NEW

PATENT 专利技术

10% LIGHTER 轻10%
3 NAILS/S 打钉快 1秒3下

50% Longer Life 寿命提升50%
10% More Powerful 力大10%
Quick Repair 维修便携
LCD 液晶显示





Applications / 应用
- **House Framing** 房屋框架搭建
- **Deck Building** 露台建造
- **Subfloor Installation** 底层地板安装

Product Specification / 产品参数	LA3490P
Nail Range/Shank Range/钉子规格	Paper Collation(50~90mm/34°)
Magazine Capacity/装钉数量	56pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Kinetic Energy/动能	100~135J
Dimension (w/o battery)/产品尺寸(不含电池)	330X158X377mm
Weight (w/o battery)/产品重量(不含电池)	3.78kg

LD3490 BL
34°CORDLESS CLIPPED HEAD FRAMING NAILER
锂电3490斜钉枪

PATENT 专利技术

Soft Touch Technology 软撞击结构
Nailing Power Adjustable 力度可调
Quick Repair 维修便携





Product Specification / 产品参数	LD3490
Nail Range/Shank Range/钉子规格	Paper Collation(50~90mm/34°)
Magazine Capacity/装钉数量	50pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	100~120J
Dimension (w/o battery)/产品尺寸(不含电池)	370x340x131mm
Weight (w/o battery)/产品重量(不含电池)	4.13kg

FM3490
34° CLIPPED HEAD FRAMING NAILER
气动3490斜钉枪

G2

PATENT 专利技术



Product Specification / 产品参数	FM3490
Fastener Size/钉子长度	50~90mm
Shank Diameter/钉杆直径	Ø2.87~3.75mm
Shank Range/钉头直径	Ø6.8~7.2mm
Operating Pressure/工作气压	70~115psi(5~8Bar)
Dimension/产品尺寸	502x150x375mm
Weight/产品重量	3.5kg

FML3490
34° CLIPPED HEAD FRAMING NAILER
气动3490斜钉枪

PATENT 专利技术

G2 ONLY 2.9KG





Product Specification / 产品参数	FML3490
Fastener Size/钉子长度	50~90mm
Fastener Type/钉子种类	34° Paper Collated Framing Nail
Operating Pressure/工作气压	70~120psi(5~8.3Bar)
Magazine Capacity/装钉量	95pcs
Weight/产品重量	2.9kg

LA2190P BL

SMART 21° CORDLESS FULL ROUND HEAD FRAMING NAILER

智能锂电2190斜钉枪

NEW

PATENT 专利技术

10% LIGHTER 轻10%

3 NAILS/S 打钉快 1秒3下

- 50% Longer Life 寿命提升50%
- 10% More Powerful 力大10%
- Quick Repair 维修便携
- LCD 液晶显示





Applications / 应用

- House Framing 房屋框架搭建
- Deck Building 露台建造
- Subfloor Installation 底层地板安装

Product Specification / 产品参数	LA2190
Nail Range/Shank Range/钉子规格	Plastic Collation(50~90mm/21°)
Magazine Capacity/装钉数量	35pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Kinetic Energy/动能	90~100J
Dimension (w/o battery)/产品尺寸(不含电池)	383X136X338mm
Weight (w/o battery)/产品重量(不含电池)	3.78kg

LD2190 BL

21° CORDLESS FULL ROUND HEAD FRAMING NAILER

锂电2190斜钉枪

PATENT 专利技术

- Soft Touch Technology 软撞击专利技术
- Power Adjustable 力度可调
- Quick Repair 维修便携





Applications / 应用

- House Framing 房屋框架搭建
- Deck Building 露台建造
- Subfloor Installation 底层地板安装

Product Specification / 产品参数	LD2190
Nail Range/Shank Range/钉子规格	Plastic Collation(50~90mm/21°)
Magazine Capacity/装钉数量	50pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Kinetic Energy/动能	100~120J
Dimension (w/o battery)/产品尺寸(不含电池)	370x340x131mm
Weight (w/o battery)/产品重量(不含电池)	4.13kg

FM2190

21° FULL HEAD FRAMING NAILER

气动2190斜钉枪

PATENT 专利技术

G2





Product Specification / 产品参数	FM2190
Nail Range/Shank Range/钉子规格	Plastic Collation(50~90mm/21°)
Magazine Capacity/装钉数量	50pcs
Operating Pressure/工作气压	70~115psi(5~8Bar)
Dimension/产品尺寸	534x132x362mm
Weight/产品重量	3.6kg

FML2190

21° FULL ROUND HEAD FRAMING NAILER

气动2190斜钉枪

PATENT 专利技术

- DRIVE RING SHANK NAIL INTO DENSE LUMBER 轻松打平环牙钉

G2



Applications / 应用

- FRAMING, SHEATHING 木屋、木结构建筑物
- Wood Construction Applications 框架和覆盖件、外墙覆盖件

Product Specification / 产品参数	FML2190
Nail Range/Shank Range/钉子规格	Plastic Collation(50~83mm/21°)
Magazine Capacity/装钉数量	50pcs
Operating Pressure/工作气压	70~120psi(5~8.3Bar)
Dimension/产品尺寸	475x172x317mm
Weight/产品重量	2.9kg







LA2190DP BL

SMART 21° CORDLESS DUPLEX NAILER
智能锂电双头斜钉枪

NEW

PATENT 专利技术

50% LONGER LIFE
寿命提升50%

10% MORE POWERFUL
力大10%

10% LIGHTER
轻10%

3 NAILS/S
打钉快 1秒3下



Applications / 应用
- **Building Concrete Forms**
  建筑混凝土模板
- **Temporary Wood Structures**
  临时木结构

Product Specification / 产品参数	LA2190DP
Nail Range/Shank Range/钉子规格	Duplex Nails(6D, 8D, 16D)
Magazine Capacity/装钉数量	35pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Kinetic Energy/动能	90~100J
Dimension (w/o battery)/产品尺寸(不含电池)	383X136X338mm
Weight (w/o battery)/产品重量(不含电池)	3.78kg

- **Soft Touch Technology**



SOFT TOUCH TECHNOLOGY
双活齿专利技术

- **Remove 4 Screws**



EASY REPLACEMENT
维修方便



POWER ADJUSTABLE
力度可调







LA64MCNP BL

SMART 35° CORDLESS METAL CONNECTOR NAILER
锂电35°对孔钉枪

NEW

PATENT 专利技术

3 NAILS/S
打钉快 1秒3下



8–10Ga.

50% Longer Life 寿命提升50%

10% More Powerful 力大10%

Quick Repair 维修便携

LCD 液晶显示

Applications / 应用
- **For Fastening Pre-punched Metal Connectors to Wood**
  用于预制孔金属连接件固定到木材上

Product Specification / 产品参数	LA64MCNP
Nail Range/Shank Range/钉子规格	38,64mm
Magazine Capacity/装钉数量	60pcs
Strike Rate/打钉速率	60~90 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	352X146X333mm
Weight (w/o battery)/产品重量(不含电池)	3.9kg







XR250S
35° METAL CONNECTOR NAILER
35°对孔钉枪







PATENT 专利技术





8–10Ga.

Product Specification / 产品参数	XR250S
Fastener Size/钉子长度	38~64mm / 1-1/2"~2-1/2"
Fastener Type/钉子种类	8 GA-10 GA 35° Metal Connector Nails
Operating Pressure/工作气压	70~115PSI(5~8Bar)
Magazine Capacity/装钉量	55pcs
Weight/产品重量	2.58kg / 5.68lbs

34° PAPER COLLATED FRAMING NAIL

- House Framing
  房屋框架搭建
- Deck Building
  露台建造
- Subfloor Installation
  底层地板安装







21° PLASTIC COLLATED ROUND HEAD FRAMING NAIL

- House Framing
  房屋框架搭建
- Deck Building
  露台建造
- Subfloor Installation
  底层地板安装







DUPLEX NAIL

Suitable For Temporarily Fixing Components

applied to temporary wooden structures and concrete formwork in construction

适用于临时固定部件的场景，
应用于临时木结构，
建筑混凝土模板。







35° Metal Connector Nails

Suitable For Fastening Pre-punched Metal Connectors to Wood

应用于预制孔
金属连接件固定到木材上









NAILER & STAPLER SERIES

直钉枪 & 码钉枪系列

LA1564 / FM1564 / LAT64 / LDT64 / T64 / LAT50 / LA504050 / XAGD509040T50 / LD504050 / FM504050 / YF504050P /
LDAF30 / AF30 / LAF55 / FMF50 / F50 / LD3232 / LD32425J / LD3838 / XAGD509040 /
LD635 / P635 / P625 / P650 /
LD1013JQ / LD1022J / 1013J / LD8016 / 8016 / LA9040 / LDT15 / 7116 / FM9040 / XAKC9040 / XAKC9032 / FMN851

LA1564 BL

15 GA 2-1/2" (64mm) CORDLESS ANGLE FINISH NAILER

锂电34°直钉枪

NEW

PATENT 专利技术

3 NAILS/S

打钉快 1秒3下





Applications / 应用

- **Finish and Trim** 装饰和收边
- **Staircases** 楼梯制作
- **Furniture** 家具制作
- **Cabinet Work** 橱柜制作

Product Specification / 产品参数	LA1564
Nail Range/Shank Range/钉子规格	32~64mm
Magazine Capacity/装钉数量	102pcs
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 1600 pcs(4.0Ah) 满电打钉数约1600枚(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	331X128X330mm
Weight (w/o battery)/产品重量(不含电池)	3.0kg









SOFT TOUCH TECHNOLOGY 双活齿专利技术

EASY REPLACEMENT 维修方便

POWER ADJUSTABLE 力度可调

FM1564

34° 15 GA. 2-1/2" (64mm) ANGLE FINISH NAILER

气动34°直钉枪









Product Specification / 产品参数	FM1564
Fastener Size/钉子长度	32~64mm
Operating Pressure/工作气压	60~115psi(4~8Bar)
Magazine Capacity/装钉量	100pcs
Dimension/产品尺寸	235x55x191mm
Weight/产品重量	2.1kg

LAT64 BL

16 GA 2-1/2" CORDLESS FINISH NAILER

锂电T64直钉枪

NEW

PATENT 专利技术

3 NAILS/S
打钉快 1秒3下

ONLY 3.0kg
仅重3.0kg







Soft Touch Technology 软撞击专利技术

Quick Repair 维修便携

Nailing Power Adjustable 力度可调

Applications / 应用

- **Finish and Trim** 装饰和收边
- **Staircases** 楼梯制作
- **Furniture** 家具制作
- **Cabinet Work** 橱柜制作

Product Specification / 产品参数	LAT64
Nail Range/Shank Range/钉子规格	25~64mm, 1.6x1.4mm
Magazine Capacity/装钉数量	120pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	322X98X330mm
Weight (w/o battery)/产品重量(不含电池)	3.0kg

LDT64

16 GA. 2-1/2" (64mm) CORDLESS FINISH NAILER

锂电T64直钉枪

PATENT 专利技术

2600 PCS 4.0Ah 4.0Ah满电打钉2600枚

2 1秒2钉 NAILS/S

ANTI-REBOUND 抗反弹技术







Applications / 应用

- **Finish and Trim** 装饰和收边
- **Staircases** 楼梯制作
- **Furniture** 家具制作
- **Cabinet Work** 橱柜制作

Product Specification / 产品参数	LDT64
Nail Range/Shank Range/钉子规格	25~64mm, 1.6x1.4mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 2600 pcs(4.0Ah) 满电打钉数约2600枚(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	330x330x113mm
Weight (w/o battery)/产品重量(不含电池)	3.08kg

T64
16 GA. 2-1/2” FINISH NAILER
气动T64直钉枪







Product Specification / 产品参数	T64
Fastener Size/钉子长度	25~64mm, 1.6x1.4mm
Operating Pressure/工作气压	70~110psi(5~7.5Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.84kg

LAT50 BL
16 GA. 2" CORDLESS FINISH NAILER
锂电T50直钉枪

3 NAILS/S
打钉快 1秒3下

PATENT 专利技术





Product Specification / 产品参数	LAT50
Nail Range/Shank Range/钉子规格	25~50mm, 1.6x1.4mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	266X98X307mm
Weight (w/o battery)/产品重量(不含电池)	3.0kg

LDT50
16 GA. 2" CORDLESS FINISH NAILER
锂电T50直钉枪

2600pcs 4.0Ah 4.0Ah满电打钉2600枚
2 1秒2钉 NAILS/S
ANTI-REBOUND 抗反弹技术

PATENT 专利技术







Product Specification / 产品参数	LDT50
Nail Range/Shank Range/钉子规格	19~50mm, 1.6x1.4mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	298x115x310mm
Weight (w/o battery)/产品重量(不含电池)	3.08kg

LA504050
16 & 18 GA. 3-IN-1 CORDLESS NAILER/STAPLER
锂电三合一钉枪

NEW

PATENT 专利技术

3-IN-1
T50/440K/F30F50

50% LONGER LIFE
寿命提升50%

3 NAILS/S
打钉快 1秒3下







Applications / 应用
- **Ceiling, Baseboard, Crate Nailing**
  天花板装钉(非水泥顶)、跟脚线打钉（非水泥立面）
- **Crate Nailing And Wood-to-wood Fastening.**
  木箱柜装钉修复等木材间紧固应用

Product Specification / 产品参数	LD504050
Nail Range/Shank Range/钉子规格	F nails（F直钉）: 15~50mm T nails（T50直钉）: 20~50mm Staple（440K码钉）: 16~40mm
Magazine Capacity/装钉数量	F nails/Staple（F钉/K钉）: 100pcs T nails（T钉）:80pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 1600 pcs(4.0Ah) 满电打钉数约1600枚(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	255x98x315mm
Weight (w/o battery)/产品重量(不含电池)	3.1kg



SOFT TOUCH TECHNOLOGY
双活齿专利技术



EASY REPLACEMENT
维修方便



POWER ADJUSTABLE
力度可调







XAGD509040T50

16 & 18 GA. 3-IN-1 AIR NAILER/STAPLER

轻便型三合一气动钉枪

3-IN-1

T50/440K/F30F50

ONLY 1.33kg

8 1秒8钉 NAILS/S



PATENT 专利技术





Product Specification / 产品参数	XAGD509040T50
Fastener Size/钉子规格	T nails/F nails/Staple 440K
Operating Pressure/工作气压	60~110psi(4~7.5Bar)
Magazine Capacity/装钉量	T nails: 80pcs; F nails/Staple 440K: 100pcs
Weight/产品重量	1.33kg

LD504050

16 & 18 GA. 3-IN-1 CORDLESS NAILER/STAPLER

3-IN-1

T50/440K/F30F50

2600 PCS 4.0Ah 4.0Ah满电打钉2600枚

2 1秒2钉 NAILS/S

ANTI-REBOUND 抗反弹技术



PATENT 专利技术





Product Specification / 产品参数	LD504050
Fastener Size/钉子规格	T nails/F nails/Staple 440K
Strike Rate/打钉速率	90~120 nails/min（钉/分钟）
Magazine Capacity/装钉量	T nails: 80pcs; F nails/Staple 440K: 100pcs
Weight/产品重量	3.16kg

FM504050

16 & 18 GA. 3-IN-1 AIR NAILER/STAPLER

三合一气动钉枪

3-IN-1

T50/440K/F30F50

G2

ONLY 1.52kg



PATENT 专利技术





Product Specification / 产品参数	FM504050P
Fastener Type/钉子种类	T nails / F nails / Staple 440K
Operating Pressure/工作气压	70~110psi(5~7.5Bar)
Magazine Capacity/装钉量	T nails: 80pcs; F nails/Staple 440K: 100pcs
Weight/产品重量	1.52kg

YF504050P

16 & 18 GA. HEAVY DUTY 3-IN-1 AIR NAILER/STAPLER

加力型三合一气动钉枪

PATENT 专利技术

POWER-FUL

ONLY 1.6kg

8 NAILS/S

打钉快 1秒8下

3-IN-1

T50/440K/F30F50







Applications / 应用

- **Ceiling, Baseboard, Crate Nailing**
  天花板装钉(非水泥顶)、跟脚线打钉（非水泥立面）
- **Crate Nailing And Wood-to-wood Fastening.**
  木箱柜装钉修复等木材间紧固应用

Product Specification / 产品参数	YF504050P
Fastener Size/钉子规格	T nails/F nails/Staple 440K
Operating Pressure/工作气压	60~110psi(4~7.5Bar)
Magazine Capacity/装钉量	T nails: 80pcs; F nails/Staple 440K: 100pcs
Strike Rate/打钉频率	8 nails/s
Dimension/产品尺寸	250x63x243mm
Weight/产品重量	1.6kg





360° ADJUSTABLE EXHAUST
360°旋转排气



SINGLE FIRING / BUMP FIRING
单连发切换



Drives Up To 50mm Into Solid Wood
深入实木地板可达50mm

MAKES FURNITURE EASILY
轻松制作各种家具



18 GA. NARROW CROWN STAPLES
440K码钉



18 GA. BRAD NAIILS
F30F50直钉



16 GA. STRAIGHT FINISH NAILS
T50直钉

LDAF30

18 GA. 1-3/16" CORDLESS BRAD NAILER

锂电F30钉枪

PATENT 专利技术

8400 PCS 5.0Ah

300,000+ CYCLE LIFE

POWERFUL, EASILY DRIVES NAILS INTO DENSE ENGINEERED WOOD

力度大 轻松应对各种硬木





Applications / 应用

- **Finish and Trim** 装饰和收边
- **Paneling** 护墙板、墙板装饰
- **Furniture** 家具制作
- **Cabinet Work** 橱柜制作
- **Crafts** 工艺品

Product Specification / 产品参数	LDAF30
Nail Range/Shank Range/钉子规格	15~30mm, 1.26x1.05mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 8400 pcs(5.0Ah) 满电打钉数约8400枚(5.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	238x230x68mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg



- **Anti-rebound Quick Response**

MULTI-SPRING SHOCK ABSORPTION

多弹簧、抗反弹多项发明专利，有效减震



INTELLIGENT CONTROL

智能保护（过热/过流/过压）







SIMILAR PRODUCT COMPARED WITH PREMIUM BRANDS
LDAF30/LD3838对标其他品牌

- Powerful • Efficient, Monthly Cost For Working With A Gas Nailer Equals To The Cost Of 2PCS LDAF30 Nailer
- 打钉力度大 • 打钉效率高，一个月节约的人工费用可以买2把LDAF30

	 FREEMAN	 FREEMAN	 NUMAX	 M Brand(M品牌)	 M Brand(M品牌)	 R Brand(R品牌)
Nails Per Charge 满电打钉数(20V 2.0Ah)	≈ 3000 pcs	≈ 3000 pcs	≈ 1300 pcs	≈ 1000 pcs	≈ 1300 pcs	≈ 450 pcs
Weight (w/o battery) 产品重量(不含电池)	1.88kg	1.9kg	2.3kg	3.0kg	1.74kg	2.7kg
Lifetime 寿命	More than 300,000 times 30万次以上	More than 100,000 times 10万次以上	More than 100,000 times 10万次以上	100,000 times 10万次	100,000 times 10万次	30,000 times 3万次
Maintenance 维修便捷性	Easy/便捷	Easy/便捷	Difficult/繁琐	Difficult/繁琐	Easy/便捷	Difficult/繁琐
Strike Power Fire 30mm Brad Nails 打钉力度 硬松木0.7g/cm³ 测试F30钉	Fully sink nails into wood 完全钉入	Fully sink nails into wood 完全钉入	Fully sink nails into wood完全钉入	Fully sink nails into wood 完全钉入	Fully sink nails into wood 完全钉入	Fully sink nails into wood 完全钉入
Strike Rate 打钉速率	≈ 3 nails/sec（钉/秒）	≈ 3 nails/sec（钉/秒）	≈ 2 nails/sec（钉/秒）	≈2 nails/sec（钉/秒）	≈ 2 nails/sec（钉/秒）	≈ 1 nails/sec（钉/秒）
Nail Range 钉子规格	F30	F38 / 9038	T50 / F30 / 9040	F50	F35	F50
Motor 电机	Brushless / Brush Optional 无刷/有刷选配	Brushless / Brush Optional 无刷/有刷选配	Brushless / Brush Optional 无刷/有刷选配	Brushless	Brushless	Brush

AF30

18 GA. 1-3/16" BRAD NAILER

气动AF30直钉枪

PATENT 专利技术





Applications / 应用

- **Finish and Trim** 装饰和收边
- **Paneling** 护墙板、墙板装饰
- **Furniture** 家具制作
- **Cabinet Work** 橱柜制作
- **Crafts** 工艺品

Product Specification / 产品参数	AF30
Fastener Size/钉子长度	15~30mm
Operating Pressure/工作气压	60~115psi(4~8Bar)
Magazine Capacity/装钉量	100pcs
Dimension/产品尺寸	235x55x191mm
Weight/产品重量	1.08kg



LAF55 BL

18 GA 2-1/8" (55mm) CORDLESS BRAD NAILER

锂电F55直钉枪

NEW

PATENT 专利技术

3 NAILS/S

打钉快1秒3下

ONLY 3.0kg

仅重3.0kg





0.079"(2mm)

5/8"	15mm
3/4"	20mm
1"	25mm
1-3/16"	30mm
1-1/4"	32mm
1-3/8"	35mm
1-5/8"	40mm
1-3/4"	45mm
2"	50mm
2-1/8"	55mm

1.26x1.05mm (0.05"x0.041")

18Ga.

Applications / 应用

- **Finish and Trim** 装饰和收边
- **Paneling** 护墙板、墙板装饰
- **Furniture** 家具制作
- **Cabinet Work** 橱柜制作
- **Crafts** 工艺品

Product Specification / 产品参数	LAF55
Nail Range/Shank Range/钉子规格	15~55mm, 1.26x1.05mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	Up to 180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 2400 pcs(4.0Ah) 满电打钉数约2400枚(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	266X96X306mm
Weight (w/o battery)/产品重量(不含电池)	3.0kg



SOFT TOUCH TECHNOLOGY
双活齿专利技术



› **Remove The Aluminum Cap**

EASY REPLACEMENT
维修方便



POWER ADJUSTABLE
力度可调







FMF50

18 GA. 2” BRAD NAILER

气动F50直钉枪

PATENT 专利技术

ONLY 1.46kg

› REAR EXHAUST, QUIETER, SAFER

尾排气功能，低噪音，更安全

› SMALL NOSE FOR PRECISE POSITIONING

小嘴结构 精准定位



0.079"(2mm)

5/8"	15mm
3/4"	20mm
1"	25mm
1-3/16"	30mm
1-1/4"	32mm
1-3/8"	35mm
1-5/8"	40mm
1-3/4"	45mm
2"	50mm

1.26x1.05mm (0.05"x0.041")

18Ga.

Applications / 应用

- **Finish and Trim** 装饰和收边
- **Paneling** 护墙板、墙板装饰
- **Furniture** 家具制作
- **Cabinet Work** 橱柜制作
- **Crafts** 工艺品

Product Specification / 产品参数	FMF50
Fastener Size/钉子规格	15~50mm
Operating Pressure/工作气压	60~110psi(4~7.5Bar)
Magazine Capacity/装钉量	100pcs
Dimension/产品尺寸	278x64x245mm
Weight/产品重量	1.46kg





REAR EXHAUST, QUIETER, SAFER
尾排气功能，低噪音，更安全



ADJUSTABLE DEPTH
打钉深度可调



QUICK RELEASE, EASY JAM CLEARING
快拆枪嘴，轻松去卡钉

F50

18 GA. 2” BRAD NAILER

气动F50直钉枪

PATENT 专利技术



0.079"(2mm)

5/8"	15mm
3/4"	20mm
1"	25mm
1-3/16"	30mm
1-1/4"	32mm
1-3/8"	35mm
1-5/8"	40mm
1-3/4"	45mm
2"	50mm

1.26x1.05mm (0.05"x0.041")

18Ga.

Product Specification / 产品参数	F50
Fastener Size/钉子长度	15~50mm / 5/8"~2"
Fastener Type/钉子种类	18 GA. Brad Nails
Operating Pressure/工作气压	60~100psi(4~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.3kg

LD3232

18 GA. CORDLESS BRAD NAILER/STAPLER

锂电F32/432K两用钉枪

PATENT 专利技术

8400 PCS 5.0Ah

› **POWERFUL,**
EASILY DRIVES NAILS INTO DENSE ENGINEERED WOOD
力度大 轻松应对各种硬木

2-IN-1
F32/432K





Applications / 应用
› **Finish And Trim, Indoor Decoration, Sofa And Cabinet Making, Etc**
家具制作，室内装修、沙发、橱柜制作等

Product Specification / 产品参数	LD3232
Nail Range/Shank Range/钉子规格	F nails: 15~32mm; Staples: 16~32mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 8400 pcs(5.0Ah) 满电打钉数约8400枚(5.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	241x238x68mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg



MULTI-SPRING SHOCK ABSORPTION
多弹簧、抗反弹多项发明专利，有效减震



INTELLIGENT CONTROL
智能保护（过热/过流/过压）







LD32425J

18 GA. & 20 GA. CORDLESS BRAD NAILER/STAPLER

锂电F32/425J两用钉枪

PATENT 专利技术

2-IN-1
F32/425J

8400 PCS 5.0Ah 5.0Ah满电打钉8400枚

3 1秒3钉 NAILS/S

POWER-FUL





Applications / 应用
› **Finish And Trim, Indoor Decoration, Sofa And Cabinet Making, Etc**
家具制作，室内装修、沙发、橱柜制作等

Product Specification / 产品参数	LD32425J
Nail Range/Shank Range/钉子规格	F nails: 15~32mm; Staples: 16~25mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 8400 pcs(5.0Ah) 满电打钉数约8400枚(5.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	241x238x68mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg

LD3838

18 GA. CORDLESS BRAD NAILER/STAPLER

锂电F38/438K两用钉枪

NEW

PATENT 专利技术

2-IN-1
F38/438K

8400 PCS 5.0Ah 5.0Ah满电打钉8400枚

3 1秒3钉 NAILS/S

POWER-FUL







Applications / 应用
› **Finish And Trim, Indoor Decoration, Sofa And Cabinet Making, Etc**
家具制作，室内装修、沙发、橱柜制作等

Product Specification / 产品参数	LD3838
Nail Range/Shank Range/钉子规格	F nails: 15~38mm; Staples: 16~38mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	120-180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 8400 pcs(5.0Ah) 满电打钉数约8400枚(5.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	230x68x245mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg

XAGD509040

18 GA. 2-IN-1 AIR NAILER/STAPLER

二合一气动钉枪

2-IN-1

F30F50/440K







Product Specification / 产品参数	XAGD509040
Fastener Type/钉子种类	18 GA. 1/4" Narrow Crown Staples: 13~40mm / 1/2"~1-5/8" 18 GA. Brad Nails: 16~50mm / 5/8"~2"
Operating Pressure/工作气压	60~110psi(4~7.5Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.34kg

LD635S

23 GA. 1-3/8" CORDLESS HEADLESS PIN NAILER

锂电635S蚊钉枪

PATENT 专利技术

8400 PCS **5.0Ah**







Applications / 应用

- **Home Renovation**
  家居装修
- **Wood Working, Glazing Strips**
  木材、玻璃窗条
- **Craft Work, Window Beading Making**
  工艺品、窗饰制作

Product Specification / 产品参数	LD635
Nail Range/Shank Range/钉子规格	15~35mm / 5/8"~1-3/8", ϕ0.63mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 8400 pcs(5.0Ah) 满电打钉数约8400枚(5.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	240x230x68mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg





- **Anti-rebound Quick Response**

MULTI-SPRING SHOCK ABSORPTION
多弹簧、抗反弹多项发明专利，有效减震



INTELLIGENT CONTROL
智能保护（过热/过流/过压）

P635

23 GA. 1-3/8” Pin Nailer

气动635蚊钉枪







Product Specification / 产品参数	P635
Fastener Size/钉子长度	15~35mm / 5/8"~1-3/8"
Fastener Type/钉子种类	23 GA. Headless Micro Pins
Operating Pressure/工作气压	70~100psi(5~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	0.97kg

P625

23 GA. 1” Pin Nailer

气动625蚊钉枪







Product Specification / 产品参数	P625
Fastener Size/钉子长度	12~25mm / 1/2"~1"
Fastener Type/钉子种类	23 GA. Headless Micro Pins
Operating Pressure/工作气压	60~100psi(4~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	0.95kg

P650

23 GA. 2” Pin Nailer

气动650蚊钉枪







Product Specification / 产品参数	P650
Fastener Size/钉子长度	15~50mm / 5/8"~2"
Fastener Type/钉子种类	23 GA. Headless Micro Pins
Operating Pressure/工作气压	70~110psi(5~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.0kg

34° 15 GA. Angle Finish Nail





- Finish and Trim 装饰和收边
- Staircases 楼梯制作
- Furniture 家具制作
- Cabinet Work 橱柜制作



16 GA. Finish Nail





- Finish and Trim 装饰和收边
- Staircases 楼梯制作
- Furniture 家具制作
- Cabinet Work 橱柜制作



18 GA. Brad Nail







- Finish and Trim 装饰和收边
- Paneling 护墙板、墙板装饰
- Furniture 家具制作
- Cabinet Work 橱柜制作
- Crafts 工艺品



23 GA. HEADLESS PIN NAIL







- Home Renovation 家居装修
- Wood Working, Glazing Strips 木材、玻璃窗条
- Craft Work, Window Beading Making 工艺品、窗饰制作



AIR COMPRESSOR SERIES
空压机系列

LK10L / LK6L / FCCZKTIO1 / LK4L / PSC15G / TA3GCOMP / PC6G

P21-P25



LD1013JQ
20 GA. 1/2" CORDLESS UPHOLSTERY STAPLER
锂电1013J码钉枪

PATENT 专利技术

8400 PCS 5.0Ah

10 NAILS/S
打钉快 1秒10下

300,000+
CYCLE LIFE







Applications / 应用
- For Trim, Skirting Board, Thin Wood And Light Upholstery Installation, Etc
装饰线条、踢脚线、薄板、轻型软包安装等

Product Specification / 产品参数	LD1013F/LD1013JQ	
Model/产品型号	LD1013F	LD1013JQ
Nail Range/Shank Range/钉子规格	6~13mm, 0.7x0.5mm	6~13mm, 1.2x0.6mm
Magazine Capacity/装钉数量	120pcs	
Strike Rate/打钉速率	120~180 nails/min	600 nails/min
Dimension (w/o battery)/产品尺寸(不含电池)	228x230x68mm	
Weight (w/o battery)/产品重量(不含电池)	1.9kg	







LD1022J
20 GA. 7/8" CORDLESS UPHOLSTERY STAPLER
锂电1022J码钉枪

8400 PCS 5.0Ah 5.0Ah满电打钉8400枚

3 1秒3钉 NAILS/S

POWER-FUL

Product Specification / 产品参数	LD1022J
Model/产品型号	LD1022J
Nail Range/Shank Range/钉子规格	6~22mm / 1/04"~1/8", 1.2x0.6mm
Magazine Capacity/装钉数量	120pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	228x230x68mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg



PATENT 专利技术



1013J
20 GA. 1/2” UPHOLSTERY STAPLER
气动1013J码钉枪



Product Specification / 产品参数	1013J
Fastener Size/钉子长度	6~13mm, 1.2x0.6mm
Operating Pressure/工作气压	60~100psi(4~7Bar)
Magazine Capacity/装钉量	100pcs
Dimension/产品尺寸	208x46x160mm
Weight/产品重量	0.82kg



LD8016
21 GA. 5/8" (16mm) CORDLESS UPHOLSTERY STAPLER
锂电8016码钉枪

PATENT 专利技术

8400 PCS 5.0Ah 5.0Ah满电打钉8400枚 | 3 1秒3钉 NAILS/S | POWER-FUL





Product Specification / 产品参数	LD8016
Nail Range/Shank Range/钉子规格	6~16mm, 0.95x0.66mm
Magazine Capacity/装钉数量	120pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 8400 pcs(5.0Ah) 满电打钉数约8400枚(5.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	241x238x68mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg

8016
21 GA. 5/8” (16mm) UPHOLSTERY STAPLER
气动8016码钉枪





Product Specification / 产品参数	
Fastener Size/钉子长度	6~16mm, 0.95x0.66mm
Fastener Type/钉子种类	23 GA. Staples
Operating Pressure/工作气压	70~100psi(5~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	0.82kg



LA9040
18 GA. CORDLESS NARROW CROWN STAPLER
锂电440K码钉枪

3 NAILS/S 打钉快 1秒3下

ONLY 3.1kg 仅重3.1kg



PATENT 专利技术



Product Specification / 产品参数	LA9040
Nail Range/Shank Range/钉子规格	Staple: 16~40mm
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	255x96x315mm
Weight (w/o battery)/产品重量(不含电池)	3.1kg



LDT15
20 GA. 9/16" (14mm) CORDLESS T50 STAPLER
锂电T15码钉枪

PATENT 专利技术

8400 PCS 5.0Ah 5.0Ah满电打钉8400枚 | 3 1秒3钉 NAILS/S | POWER-FUL





Product Specification / 产品参数	LDT15
Nail Range/Shank Range/钉子规格	6~15mm, 1.26x0.55mm
Magazine Capacity/装钉数量	120pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Dimension (w/o battery)/产品尺寸(不含电池)	228x233x68mm
Weight (w/o battery)/产品重量(不含电池)	1.9kg

7116
22 GA. 5/8” UPHOLSTERY STAPLER
气动7116码钉枪





Product Specification / 产品参数	7116
Fastener Size/钉子长度	6~16mm / 1/4"~5/8"
Fastener Type/钉子种类	22 GA. 3/8" Crown Staples
Operating Pressure/工作气压	60~100psi(4~7Bar)
Magazine Capacity/装钉量	140pcs
Weight/产品重量	0.8kg



FM9040
18 GA. 1-5/8” (40mm) NARROW CROWN STAPLER
气动440K码钉枪 440K

G2





Product Specification / 产品参数	FM9040
Fastener Size/钉子长度	16~40mm, 1.26x1.05mm
Fastener Type/钉子种类	18 GA. Narrow Crown Staples
Operating Pressure/工作气压	60~110psi(4~7.5Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.52kg

XAKC9040
18 GA. 1-5/8” (40mm) NARROW CROWN STAPLER
气动440K码钉枪 440K





Product Specification / 产品参数	9040
Fastener Size/钉子长度	13~40mm / 1/2"~1-5/8"
Fastener Type/钉子种类	18 GA. 1/4" Narrow Crown Staples
Operating Pressure/工作气压	60~110psi(4~7.5Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.27kg

XAKC9032
18 GA. 1-1/4” NARROW CROWN STAPLER
气动432K码钉枪 432K





Product Specification / 产品参数	9032
Fastener Size/钉子长度	13~32mm / 1/2"~1-1/4"
Fastener Type/钉子种类	18 GA. 1/4" Narrow Crown Staples
Operating Pressure/工作气压	60~100psi(4~7Bar)
Magazine Capacity/装钉量	100pcs
Weight/产品重量	1.17kg

FMN851
16 GA. 2” (50mm) MEDIUM CROWN STAPLER
气动N851码钉枪

ONLY 2.4kg

- **10 NAILS/SEC**
  射速可达10钉/秒
- **POWERFUL UP TO 65J**
  动能可达65焦耳

G2



Applications / 应用
- Finish And Trim, Indoor Decoration, Sofa And Cabinet Making, Etc
  家具制作，室内装修、沙发、橱柜制作等

Product Specification / 产品参数	FMN851
Nail Range/Shank Range/钉子规格	19~50mm, 1.6x1.4mm
Operating Pressure/工作气压	70~110psi(5~7.5Bar)
Magazine Capacity/装钉量	140pcs
Air Consumption/耗气量	6.6L/S
Strike Rate/打钉速率	10 nails/sec
Dimension/产品尺寸	358x108x310mm
Weight/产品重量	2.4kg



SINGLE FIRING / BUMP FIRING
单连发切换



ADJUSTABLE DEPTH
打钉深度可调



QUICK RELEASE, EASY JAM CLEARING
快拆枪嘴，轻松去卡钉









FPYHT01
HEAVY DUTY HAMMER TACKER
重型手敲枪







Applications / 应用

› **Roofing And Insulation / Upholstery / Carpet Installation / Poly Sheeting**
屋顶隔热层安装/室内装修/地毯安装/薄膜安装

Product Specification / 产品参数	FPYHT01
Fastener Type/钉子种类	3/8" Crown Staples
Nail Range/钉子长度	6~14mm
Weight/产品重量	0.54 kg
Magazine Capacity/容钉量	80pcs

- **Durable Steel Construction**
  Durability
- **耐用钢结构**
  耐用
- **Comfort Grip Handle**
  One hand operation
- **橡胶手柄**
  单手操作使用舒适
- **Load And Unload Nails Quickly**
  Easy jam release
- **底部装钉**
  轻松装钉/卸钉

FPYHT02
LIGHT DUTY HAMMER TACKER
轻型手敲枪





Applications / 应用

› **Roofing And Insulation / Upholstery / Carpet Installation / Poly Sheeting**
屋顶隔热层安装/室内装修/地毯安装/薄膜安装

Product Specification / 产品参数	FPYHT02
Fastener Type/钉子种类	3/8" Crown Staples
Nail Range/钉子长度	6~14mm
Weight/产品重量	0.54 kg
Magazine Capacity/容钉量	80pcs

- **All steel construction**
  Durability
- **全钢结构**
  耐用
- **Comfort Grip Handle**
  One hand operation
- **橡胶手柄**
  单手操作使用舒适
- **Load And Unload Nails Quickly**
  Easy jam release
- **底部装钉**
  轻松装钉/卸钉

FPYSG01
MDEIUM DUTY STAPLE GUN
中型手动门钉枪





Applications / 应用

› **Textiles / Leather / Netting / Molding / Framing**
纺织面料/皮革/网/木框架钉合

Product Specification / 产品参数	
Fastener Type/钉子种类	Crown Staples
Fastener Range/钉子长度	4~8mm
Magazine Capacity/装钉量	80pcs
Weight/产品重量	0.4 kg

- **All Metal Construction**
- **全金属结构**
- **Safety Lock**
- **手柄安全锁扣**
- **Light Duty, Compact And High Efficiency**
- **重量轻、结构紧凑、效率高**
- **Surface: Paint Coating**
- **表面涂层**

FPYSG01/FPYSG02
LIGHT / HEAVY DUTY 3 WAY STAPLE GUN
重型/轻型三合一打钉枪





Product Specification / 产品参数	
Fastener Type/钉子种类	Crown Staples
Fastener Range/钉子长度	4~14mm
Magazine Capacity/装钉量	100pcs
Weight/产品重量	0.54 kg

Product Specification / 产品参数	
Fastener Type/钉子种类	Crown Staples
Fastener Range/钉子长度	6~14mm
Magazine Capacity/装钉量	80pcs
Weight/产品重量	0.5 kg

20 GA. Upholstery Staple
1006J-1013J码钉

› **Upholstering** 软装、软垫制作
› **Staircases** 楼梯制作
› **Furniture** 家具制作
› **Cabinet Work** 橱柜制作





21 GA. Upholstery Staple
8006-8016码钉

› **Upholstery** 软装、软垫制作
› **Staircases** 楼梯制作
› **Furniture** 家具制作
› **Cabinet Work** 橱柜制作





20 GA. Fine Wire Staple
1006A-1015A码钉

› **Insulation** 隔热材料
› **Upholstery** 软装、软垫制作
› **Roofing Felt** 屋面油毡
› **House Wrap** 房屋包覆材料





20 GA. Narrow Crown Staple
410J-425J码钉

› **Upholstering** 软装、软垫制作
› **Furniture** 家具制作
› **Cabinet Work** 橱柜制作





18GA. Narrow Crown Stapler
K416-K440码钉

› **Finish and Trim** 装饰和收边
› **Staircases** 楼梯制作
› **Furniture** 家具制作
› **Cabinet Work** 橱柜制作
› **Crafts** 工艺品
› **Paneling** 护墙板、墙板装饰





16GA. Medium Crown Staple
N819-N851码钉

› **Medium Duty Structural Assembly** 中等强度结构组装
› **Plywood Frame Assembly** 胶合板框架组装
› **Sheathing** 护板、覆层、外壳
› **Truss Assembly** 桁架组装







COIL NAILER SERIES

卷钉枪系列

FMCN90 / FMCN75 / FMCN65 / FMCN45 / CN65 / CN50 / CN45

FMCN90

15° 3-1/2" COIL FRAMING NAILER

气动90卷钉枪

ONLY 3.4kg

- **10 NAILS/SEC**
  射速可达10钉/秒
- **MAGNESIUM BODY, LIGHT WEIGHT**
  镁合金枪体 重量更轻
- **POWERFUL WITH LESS RECOIL**
  力度大 反弹力小



Applications / 应用

- **Wooden pallet, crate, container box making, large furniture assembing and wood roof installation**
  木托盘、板条箱、出口包装箱
  框架等制作、大型家具组合以及木屋屋顶等

Product Specification / 产品参数	FMCN90
Fastener Size/钉子长度	Wire collation/线排: 45~90mm
Operating Pressure/工作气压	70~115psi(5~8Bar)
Air Consumption/耗气量	5.3L/S
Magazine Capacity/装钉量	300pcs
Dimension/产品尺寸	357x130x368mm
Weight/产品重量	3.4kg



SINGLE FIRING / BUMP FIRING
单连发切换



ADJUSTABLE DEPTH
打钉深度可调



SAFETY MECHANISM
安全保险



360 DEGREE ROTATING BELT HOOK
360°旋转挂钩







FMCN75
15° 3” COIL SIDING & FRAMING NAILER
气动75卷钉枪

ONLY 3.0kg



Product Specification / 产品参数	FMCN75
Fastener Size/钉子长度	Plastic collation/塑排: 32~75mm Wire collation/线排: 45~75mm
Operating Pressure/工作气压	70~115psi(5~8Bar)
Air Consumption/耗气量	5.3L/S
Magazine Capacity/装钉量	300pcs
Dimension/产品尺寸	348x130x315mm
Weight/产品重量	3.0kg

FMCN65
15° 2-1/2” COIL SIDING NAILER
气动65卷钉枪

ONLY 2.5kg



Product Specification / 产品参数	FMCN65
Fastener Size/钉子长度	Plastic collation/塑排: 32~65mm Wire collation/线排: 45~65mm
Operating Pressure/工作气压	70~115psi(5~8Bar)
Air Consumption/耗气量	5.3L/S
Magazine Capacity/装钉量	300pcs
Dimension/产品尺寸	333x130x308mm
Weight/产品重量	2.5kg

FMCN45
15° 1-3/4” COIL ROOFING NAILER
气动45卷钉枪

ONLY 2.5kg



Product Specification / 产品参数	FMCN45
Fastener Size/钉子长度	19~45mm
Operating Pressure/工作气压	70~115psi(5~8Bar)
Air Consumption/耗气量	5.3L/S
Magazine Capacity/装钉量	300pcs
Dimension/产品尺寸	327x115x263mm
Weight/产品重量	2.5kg

FREEMAN CARPENTRY SERIES COIL NAILER

Plastic Collated Siding Nails
塑排卷钉



Wire Collated Siding Nails
铁排卷钉











Coil Roofing Nails
大帽卷钉









CN65
15° 2-1/2” COIL SIDING NAILER
气动65卷钉枪

ONLY 2.7kg







Wire collation



Plastic collation

Product Specification / 产品参数	CN65
Fastener Size/钉子长度	15° Plastic Collated Coil Siding Nails: 32~65mm / 1-1/4"~2-1/2" 15° Wire Collated Siding Nails: 45~65mm / 1-3/4"~2-1/2"
Operating Pressure/工作气压	70~110psi(5~7.5Bar)
Magazine Capacity/装钉量	400pcs
Weight/产品重量	2.74kg

CN50
15° 2” COIL SIDING NAILER
气动50卷钉枪

ONLY 2.6kg







Wire collation



Plastic collation

Product Specification / 产品参数	CN50
Fastener Size/钉子长度	27~50mm / 1-1/16"~2"
Fastener Type/钉子种类	15° Coil Siding Nails
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	400pcs
Weight/产品重量	2.59kg

CN45
15° 1-3/4” COIL ROOFING NAILER
气动45卷钉枪

ONLY 2.73kg



Product Specification / 产品参数	CN45
Fastener Size/钉子长度	19~45mm / 3/4"~1-3/4"
Fastener Type/钉子种类	15° Coil Roofing Nails
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	120pcs
Weight/产品重量	2.73kg

LDC24
CORDLESS C-RING STAPLER
锂电C型封口钳

NEW

PATENT 专利技术

2 NAIL/S
打钉快 1秒2钉



Applications / 应用
› **Wire Cages, Chain Link Fencing, Spring Mattress, Bag Closure**
铁丝笼制作，链式围栏、弹簧床垫制作、包装封口等

Product Specification / 产品参数	LDC24
Nail Range/Shank Range/钉子规格	15 GA. C-Rings
Magazine Capacity/装钉数量	100pcs
Strike Rate/打钉速率	Up to 2 nails/s（钉/秒）
Battery Duration/续航能力	Up to 4000 pcs(4.0Ah) 满电打钉数约4000枚(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	340x260x100mm
Weight (w/o battery)/产品重量(不含电池)	2.75kg







INTELLIGENT CONTROL
智能保护（过热/过流/过压）

C20
16 GA. HOG RING PLIERS
C型封口钳

Applications / 应用
› **Wire Mesh Binding, Cage Fixing, Packaging And Sealing**
丝网捆扎/笼子固定/包装封口

Product Specification / 产品参数	
Fastener Type/钉子种类	16 GA. C-Rings
Nail Range/钉子长度	6~10mm
Dimension/产品尺寸	190x110x22mm
Weight/产品重量	0.4 kg
Magazine Capacity/容钉量	50pcs







16Ga

- **Metal Construction** 硬质合金组件
- **One-hand Operation Design** 单手操作设计
- **Automatic Feed System** 自动送料
- **Ergonomic Grip** 人机工程学手柄

PF20LM

20 GA. L-Cleat Flooring Nailer
双塑柄气动地板枪

› **ENGINEERING COMPOSITE PLASTIC, PROTECTS FLOORING SURFACE**
复合材料垫板，保护地板表面

› **INSTALLS FLOORING:**
1m² in 3 mins
安装1m²地板仅需3分钟

PATENT 专利技术

10X
FASTER THAN TRADITIONAL MANUAL INSTALLATION







Applications / 应用
› **Solid Wood Flooring Installation**
实木地板安装



Product Specification / 产品参数	PF20LM
Nail Range/Shank Range/钉子规格	L Cleats: 32-45mm, Ø6mm
Operating Pressure/工作气压	70~115psi(4~8Bar)
Magazine Capacity/装钉量	120pcs
Dimension/产品尺寸	430x100x550mm
Weight/产品重量	4.15kg

FW

ROLLING PLATE
地板枪滚轮

PATENT 专利技术

› **5 TIMES FASTER**
效率提升5倍

› **ACCURATE, FAST PLACEMENT**
精准、快速定位

› **WIDE COMPATIBILITY**
Suitable for 10-20mm Flooring Thickness
适用10~20mm范围内地板





Applications / 应用
› **Solid Wood Flooring Installation**
实木地板安装

LA61

CORDLESS 6-IN-1 FLOORING NAILER & STAPLER
锂电6-IN-1地板枪

NEW

PATENT 专利技术

ONLY 3.0kg
仅重3.0kg

50% LONGER LIFE
寿命提升50%



Applications / 应用
› **Solid Wood Flooring Installation**
实木地板安装

Product Specification / 产品参数	LA61
Nail Range/Shank Range/钉子规格	F nails（F直钉）：15~50mm T nails（T50直钉）：20~50mm Staple（440K码钉）：16~40mm
Magazine Capacity/装钉数量	F nails/Staple（F钉/K钉）：100pcs T nails（T钉）:80pcs
Strike Rate/打钉速率	120~180 nails/min（钉/分钟）
Battery Duration/续航能力	Up to 1600 pcs(4.0Ah) 满电打钉数约1600枚(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	266X96X306mm
Weight (w/o battery)/产品重量(不含电池)	3.0kg

PDX50Q

3-IN-1 15.5 GA. & 16 GA. FLOORING NAILER & STAPLER
三合一气动地板枪

3-IN-1

PATENT 专利技术

10X
FASTER THAN TRADITIONAL MANUAL INSTALLATION

› **ENGINEERING COMPOSITE PLASTIC, PROTECTS FLOORING SURFACE**
复合材料垫板，保护地板表面





Applications / 应用
› **Solid Wood Flooring Installation**
实木地板安装



DPN350S
MINI PALM NAILER
气动掌中锤(气动榔头)

PATENT 专利技术



- **EASY ONE-HAND NAIL SHOOTING**
  单手操作 抓着就能打
- **MAGNETIC NAIL HOLDER**
  强磁枪嘴 防钉脱落
- **WORK AT ANY TIGHT AREAS**
  狭小空间 灵活作业





Applications / 应用
- **Apply to wood frame and hard to reach work space**
  木结构打钉、散钉、补丁及位置狭小处打钉等

Product Specification / 产品参数	DPN350S
Nail Range/Shank Range/钉子规格	50~100mm
Operating Pressure/工作气压	80~110psi(5.5~7Bar)
Magazine Capacity/装钉量	1pcs
Dimension/产品尺寸	80x110x70mm
Weight/产品重量	0.63kg

DPN350RK
PNEUMATIC STONE CHISEL HAMMER
气动石材掌中锤

PATENT 专利技术

- **EASY ONE-HAND NAIL SHOOTING**
  单手操作 抓着就能打
- **MULTI-PURPOSE USE**
  一机多用
- **PRECISE CHISELING**
  精准凿刻



Applications / 应用
- **Stone & Concrete Chiseling, Carving, Trimming**
  石材与混凝土凿刻、雕刻、修边等

Product Specification / 产品参数	DPN350RK
Nail Range/Shank Range/钉子规格	50~100mm
Operating Pressure/工作气压	80~100psi(5.5~6.9Bar)
Dimension/产品尺寸	80x110x70mm
Weight/产品重量	0.63kg

FREEMAN CARPENTRY SERIES SPECIALTY NAILER

DPN50LT
PALM FLOORING NAILER
边角气动锤

- **WORK AT ANY TIGHT AREAS**
  狭小空间 灵活作业
- **MAGNETIC NAIL HOLDER**
  强磁枪嘴 防钉脱落

360°



PATENT 专利技术





Product Specification / 产品参数	DPN50LT
Fastener Size/钉子规格	T Cleats / L Cleats
Operating Pressure/工作气压	80~115psi(5.5~8Bar)
Magazine Capacity/装钉量	1pcs
Dimension/产品尺寸	100x70x130mm
Weight/产品重量	0.72kg

CS16
CORRUGATED STAPLER
气动CS16浪钉枪







Product Specification / 产品参数	CS16
Fastener Size/钉子长度	6~16mm / 1/4"~5/8"
Fastener Type/钉子种类	W Type Corrugated Staples
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	80pcs
Weight/产品重量	2.66kg

PWC200 气动P钉码钉枪
16 GA. P-STYLE WIDE CROWN STAPLER





Product Specification / 产品参数	PWC200
Fastener Size/钉子长度	16~50mm / 5/8"~2"
Fastener Type/钉子种类	16 GA. P Style 1" Wide Crown Staples
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	140pcs
Weight/产品重量	2.64kg

KBD50 气动KBD50拔钉枪
HEAVY DUTY PUNCH NAILER



Product Specification / 产品参数	KBD50
Fastener Type/钉子种类	7~14GA.(0.083"~0.18")
Operating Pressure/工作气压	70~115psi(5~8Bar)
Magazine Capacity/装钉量	1pcs
Weight/产品重量	1.27kg



Strip Concrete Pin
塑排钢钉



Product Specification / 产品参数	
Model/产品型号	Strip Concrete Pin/塑排钢钉
Nail Range/Shank Range/钉子规格	16~40mm,Φ2.7~3.0mm
Applicable nailer model/适用钉枪型号	LD40 / XI38 / LA65 / LAS27 / FM40

Medium Crown Staples
N819-N851码钉





Product Specification / 产品参数	
Model/产品型号	Medium Crown Staples/N819-N851 码钉
Nail Range/Shank Range/钉子规格	19~50mm, 1.6x1.4mm
Applicable nailer model/适用钉枪型号	FMN851 / XJKC851

Coil Roofing Nails
大帽卷钉





Product Specification / 产品参数	
Model/产品型号	Collated Coil Nails/大帽卷钉
Nail Range/Shank Range/钉子规格	19-45mm,Φ3.05mm
Applicable nailer model/适用钉枪型号	FMCN45 / RN45 / XRKC45

Plastic or Wire Collated Siding Nails
铁排/塑排卷钉





12-13GA.

Product Specification / 产品参数	
Model/产品型号	Plastic or Wire Collated Siding / 铁排/塑排卷钉
Nail Range/Shank Range/钉子规格	Plastic collation/塑排:32-65mm(1-1/4"~2-1/2") Wire collation/线排:45-65mm(1-3/4"~2-1/2")
Applicable nailer model/适用钉枪型号	FMCN65 / FMCN75 / FMCN90 / XRKC65

21°Plastic Collated Round Head Framing Nail
2150-2190塑排斜钉



10-12 GA.

Product Specification / 产品参数	
Model/产品型号	21°Framing Nails/21°塑排斜钉
Nail Range/Shank Range/钉子规格	50-90mm,Φ2.87-3.33mm
Applicable nailer model/适用钉枪型号	Ld2190 / L2183 / FM2190 / XI2190 / Dp2190 LA2190

34° Paper Collated Framing Nail
3450-34100纸排斜钉



Product Specification / 产品参数	
Model/产品型号	Paper Collation(50~100mm/34°)/34°纸排斜钉
Nail Range/Shank Range/钉子规格	50-100mm, 2.87~3.33mm
Applicable nailer model/适用钉枪型号	LD3490 / LD34100 / L3483 / FM3483 / FM3490 XI3490 / LA3490

15 GA. Angle Finish Nails
1532-1564斜钉





15 GA.

Product Specification / 产品参数	
Model/产品型号	15 GA. Angle Finish Nails/15GA.斜钉
Nail Range/Shank Range/钉子规格	32-64mm
Applicable nailer model/适用钉枪型号	XOKC1564 / PFN1564 / LA1564

9 GA. Fencing Staples
9GA.篱笆钉





9GA.

Product Specification / 产品参数	
Model/产品型号	9 GA. Fencing Staples / 9GA.篱笆钉
Nail Range/Shank Range/钉子规格	38-50mm, 38x4.2mm
Applicable nailer model/适用钉枪型号	LD400 / XI400 / LA400 / FM400

18 GA. Narrow Crown Staples
K416-K440码钉





18Ga.
Staple

Product Specification / 产品参数	
Model/产品型号	18 GA. Narrow Crown Staples/K416-K440码钉
Nail Range/Shank Range/钉子规格	16~40mm, 1.26x1.05mm
Applicable nailer model/适用钉枪型号	LD509040T50 / FM509040 / LD509040 RN440K / XAGD509040T50 / YF504050P

20 GA. Narrow Crown Staples
410J-425J码钉





20GA.

Product Specification / 产品参数	
Model/产品型号	20 GA. Narrow Crown Staples/410J-425J码钉
Nail Range/Shank Range/钉子规格	10-25mm, 1.2x0.6mm
Applicable nailer model/适用钉枪型号	LD32/425J / XAGD32/425J / XAGD422J.

20 GA. Fine Wire Staples
1006A-1015A码钉





Product Specification / 产品参数	
Model/产品型号	20 GA. Fine Wire Staples/1106A-1015A码钉
Nail Range/Shank Range/钉子规格	6~15mm, 1.26x0.55mm
Applicable nailer model/适用钉枪型号	LDT15 / PET15 / FMT15 / DPT15 / XMT15

20 GA. Upholstery Staples
1006J-1013J码钉





Product Specification / 产品参数	
Model/产品型号	20 GA. Upholstery Staples/1006J-1013J码钉
Nail Range/Shank Range/钉子规格	6-13mm, 1.2x0.6mm
Applicable nailer model/适用钉枪型号	PEGD1013J / LD1013J

21 GA. Upholstery Staples
8006-8016码钉





Product Specification / 产品参数	
Model/产品型号	21 GA. Upholstery Staples / 8006-8016码钉
Nail Range/Shank Range/钉子规格	6~16mm, 0.95x0.66mm
Applicable nailer model/适用钉枪型号	LD8016P / PEGD8016 / FM8016 / XMGD8016

16 GA. Straight Finish Nails
T20-T64直钉





Product Specification / 产品参数	
Model/产品型号	16 GA. Straight Finish Nails/F直钉
Nail Range/Shank Range/钉子规格	20~64mm, 1.6x1.4mm
Applicable nailer model/适用钉枪型号	LAT64 / LDT64 / LDT50 / LD509040T50 / FMT64 / XAGD509040T50 / PGGD50 / XKKC64.

18 GA. Brad Nails
F10-F50直钉





Product Specification / 产品参数	
Model/产品型号	18 GA. Brad Nails/F直钉
Nail Range/Shank Range/钉子规格	10~50mm, 1.26x1.05mm
Applicable nailer model/适用钉枪型号	LAF55 / LDF30 / LDF50 / LD509040T50 / XAGD50 / AF30 / XAGD509040 / XAGD509040T50

23 GA. Pin Nails
P615-P650蚊钉





Product Specification / 产品参数	
Model/产品型号	23 GA. Pin Nails/P615-P650蚊钉
Nail Range/Shank Range/钉子规格	15~50mm / 5/8"~2"
Applicable nailer model/适用钉枪型号	LD635 / PEGD625 / XMP635 / XMP650

16 GA. Fencing Staples
16GA.篱笆钉





Product Specification / 产品参数	
Model/产品型号	16 GA. Fencing Staples/16GA.篱笆钉
Nail Range/Shank Range/钉子规格	18-35mm, 1.6x1.4mm
Applicable nailer model/适用钉枪型号	FS16G / LD16G

10.5 GA. Fencing Staples
10.5GA. 篱笆钉





Product Specification / 产品参数	
Model/产品型号	9 GA. Fencing Staples / 10.5GA.篱笆钉
Nail Range/Shank Range/钉子规格	22-40mm, 2.7x3.25mm
Applicable nailer model/适用钉枪型号	LA315 / LD315 / XJKC315

18-64mm Concrete Nails
ST18-ST64钢钉





Product Specification / 产品参数	
Model/产品型号	18-64mm Concrete Nails/ST18-ST64钢钉
Nail Range/Shank Range/钉子规格	18~64mm, ϕ2.2mm
Applicable nailer model/适用钉枪型号	LDST18 / LDST64 / XJGD64 / FMST64 / XJGD64T64.

Concrete T Nails
FST18-FST50黑钢钉





Product Specification / 产品参数	
Model/产品型号	Concrete T Nails / FST18-FST50黑钢钉
Nail Range/Shank Range/钉子规格	18~50mm, ϕ1.8mm
Applicable nailer model/适用钉枪型号	PFGD50 / LDFST18 / FST50

16 GA. L Cleats
L型地板钉





Product Specification / 产品参数	
Model/产品型号	16GA. L Cleats / L型地板钉
Nail Range/Shank Range/钉子规格	16GA. L Cleats:38-50mm, 7.2mm
Applicable nailer model/适用钉枪型号	PB50ULT / DFQ50A / 618BRG / HDFL50Q

15-1/2 GA. Flooring Staples
地板码钉





Product Specification / 产品参数	
Model/产品型号	15-1/2 GA. Staples/地板码钉
Nail Range/Shank Range/钉子规格	38-50mm, 1.9x1.6mm
Applicable nailer model/适用钉枪型号	PB50ULT / DFQ50A / 618BRG / HDFL50Q



FCHM35 BL

3.5J 4-FUNCTION CORDLESS ROTARY HAMMER

3.5J四功能锂电电锤

- **6% MORE ENERGY**
  能量提升6%
- **20% MORE EFFICIENT**
  效率提升20%
- **23% LIGHTER**
  减重23%



DUST EXTRACTOR

集尘仓

- **MAX 21000 RPM OUTPUT**
  最高 21000RPM 输出
- **240 CM³ DUST BOX**
  240cm³ 集尘仓
- **ONLY 1.2kg**
  小巧机身，仅 1.2kg



Product Specification / 产品参数	FCHM35
Voltage/电压	20V
Motor Model/电机型号	Brushless Motor
No load speed / 空转转速	0-1080RPM
Impact rate / 冲击频率	0-4800BPM
Impact Energy/冲击能量	3.5J
Function selector/功能选择	4 mode/4种模式
Drilling Capacity/最大拆卸扭力	Ø28mm混凝土（concrete）/Ø13mm钢（steel）/Ø30mm木材（wood）
Weight (w/o battery)/产品重量(不含电池)	2.6kg

FCJD65 BL
CORDLESS IMPACT DRILL
65N冲击电钻

65N.m

› **TURBO: HIGH-SPEED DRILLING**
Turbo 模式：高速钻孔

› **PULSE: ANTI-CRACK & ANTI-SLIPPING**
脉冲模式：防崩边、防滑牙



Product Specification / 产品参数	FCJD65
Voltage/电压	20V
Motor Model/电机型号	Brushless Motor
Low Speed/High Speed/低速 / 高速	Eco 0~360/1500rpm Turbo:0~450/2000rpm
冲击频率Impact rate	ECO 0~5400/22500ipm Turbo:0~6750/30000ipm
Maximum Torque/最大扭矩	65N.m
Chuck Diameter夹头规格	13mm / 1/2"
Torque Adjustment/扭矩调节	20+3 Modes Adjustable/20档可调+3功能
Weight (w/o battery)/产品重量(不含电池)	1.03kg/2.27lb

FCJD120 BL
CORDLESS IMPACT DRILL
120N冲击电钻

120N.m

› **TURBO: HIGH-SPEED DRILLING**
Turbo 模式：高速钻孔

› **PULSE: ANTI-CRACK & ANTI-SLIPPING**
脉冲模式：防崩边、防滑牙

› **ANTI-KICKBACK: INSTANT STOP**
电子防扭：堵转即停



Product Specification / 产品参数	FCJD120
Voltage/电压	20V
Motor Model/电机型号	Brushless Motor
Low Speed/High Speed/低速 / 高速	Eco: 0~300/1400rpm Turbo:0~370/1750rpm
冲击频率Impact rate	ECO: 0~4800/22400ipm Turbo:0~6000/28000ipm
Maximum Torque/最大扭矩	120N.m
Chuck Diameter夹头规格	13mm / 1/2"
Torque Adjustment/扭矩调节	19+3 Modes Adjustable/19档可调+3功能
Weight (w/o battery)/产品重量(不含电池)	1.4kg/3.08lb

FCJC230 BL
CORDLESSS CREWDRIVER
230N起子机

230N.m

› **37% HIGHER EFFICIENCY**
效率提升37%

› **AUTO-STOP FOR DISASSEMBLY**
拆卸自动停机

› **4 ADJUSTABLE TORQUE SETTINGS**
4 档扭力可调



Product Specification / 产品参数	FCJD230
Voltage/电压	20V
Motor Model/电机型号	Brushless Motor
No load speed / 空转转速	0~1100/2100/3000/3500RPM
Impact rate / 冲击频率	0~1300/2700/3500/3800IPM
Shank or spindle siz/内六角规格	1/4inch(6.35mm)
Max.Fastening torque/最大紧固扭力	230N.m/170 ft-lb
Max.Disassembly torque/最大拆卸扭力	360N.m/266 ft-lb
Weight (w/o battery)/产品重量(不含电池)	1.05kg/2.3lb

FCJW230 BL
2-IN-1 IMPACT DRIVER&WRENCH
230N二合一电扳&起子机

230N.m

› **4 ADJUSTABLE IMPACT MODES**
4 档可调冲击模式

› **AUTO-STOP FOR DISASSEMBLY**
拆卸自动停机

› **20-MIN DELAY-OFF WORK LIGHT**
照明灯 20 分钟延时关机



Product Specification / 产品参数	FCJW230
Voltage/电压	20V
Motor Model/电机型号	Brushless Motor
No load speed / 空转转速	0~1100/2100/3000/3500RPM
Impact rate / 冲击频率	0~1300/2700/3500/3800IPM
Shank or spindle siz/四方轴/内六角规格	1/2 inch/1/4inch(6.35mm)
冲击频率Impact rate	Standard Bolt/标准螺栓:M5-M16 High tensile bolt/高强度螺栓:M5-M14
Chuck Diameter夹头规格	230N.m/170 ft-lb
Max.Disassembly torque/最大拆卸扭力	360N.m/266 ft-lb
Weight (w/o battery)/产品重量(不含电池)	1.1kg/2.4lb

FCYS48

FOLDABLE SOLAR CHARGE BAG
可折叠太阳能充电包



Product Specification / 产品参数	FCYS48
Maximum Power (Wp)/最大功率	48W
Maximum Power Voltage (Vm)/最大功电压	20.88V
Maximum Power Current (Im)/最大功率电流	2.3A
Open Circuit Voltage (Voc) /开路电压	25.30V
Short Circuit Current (Isc)/短路电流	2.43A
Charging Time for 4Ah Battery Pack 4Ah/电池包充电时间	~3h(Subject to solar irradiance)
Unfolded Size (L*W*H)/展开尺寸	808*330*3.5mm
Folded Size (L*W*H)/续航时间	330*200*25mm
Protection Degree/防护等级	IP67
Number of Folds/折叠次数	4 Folds
Operating Temperature/工作温度	-20°C… +60°C
Net Weight/产品净重	1.4kg

FCSB01

POWER BACKPACK
移动电源

- Adjustable DC voltage converter
- 220V modified sine wave – instant inverter
- High-capacity storage
- Long Duration



Product Specification / 产品参数	FCSB01
Standard Voltage Platform/标准电压平台	60V
Standard charging current/标准充电电流	12V/21V/24V/36V/48V/60V
Adjustable DC voltage/可调直流电压	10A
AC voltage V/交流电压 (伏)	Adjust The Sine Wave Output to 220V
Rated/PeakPower/最大扭矩	300/750W
Size/规格	12V(45Ah)/ 21V(27Ah)/ 24V(25Ah)/ 36V(15Ah)/ 48V(12Ah)/ 60V(10Ah)

FCTS01

LITHIUM-ION PIVOTING SCREWDRIVER
In-Line / Gun Mode

旋转式锂电螺丝刀
日常维修/门窗安装/电路维修/家具拆装

No-Load Run Time ▶ 60 min
空载运行时间



Product Specification / 产品参数	
Operating Voltage/工作电压	DC3.6V
No-Load Speed/空载转速	200rpm
Max.Torque/最大扭矩	4N.m
Chuck Type/夹头规格	6.35mm(1/4")inner hex/内六角
Torque Mode/扭矩调节	6+1 Mode Adjustable/6+1档可调
LED Light/LED辅助照明	Yes/是
Battery Capacity/电池容量	1300mAh
Charger Port/充电接口	Micro USB
No-Load Operating Time/空载运行时间	60min
Dimension (w/o battery)/产品尺寸(不含电池)	175x45x145mm
Weight (w/o battery)/产品重量(不含电池)	0.43kg



- **Hand Guard Panel** Safer in work
- **正反转一键切换** 快速切换，居中即停
- **Rear Flashlight Design** Mutipurpose tool
- **尾部手电照明** 一机多用更方便
- **LED Light** Suitable for low light environment
- **LED辅助照明** 无惧暗光环境

FCTS02

LITHIUM-ION SCREWDRIVER KIT
Professional Home Decoration / Maintenance

多功能头锂电螺丝刀套装
家具拆装/日常维修/布料裁切/墙纸裁切/特殊位置打螺丝

No-Load Run Time ▶ 60 min
空载运行时间

Product Specification / 产品参数	
Operating Voltage/工作电压	DC3.6V
No-Load Speed/空载转速	200rpm
Max.Torque/最大扭矩	4N.m
Battery Capacity/电池容量	1500mAh
LED Light/LED辅助照明	Dual LED/双LED
Charger Port/充电接口	Type-C
No-Load Operating Time/空载运行时间	60min
Dimension (w/o battery)/产品尺寸(不含电池)	140x110x44mm
Weight (w/o battery)/产品重量(不含电池)	0.38kg



- **Quick Bits Replacement** Press the switch and replace
- **正反转一键切换** 快速切换，居中即停

One-Button Change Of 4 Kinds Of Functional Bits
四种功能转换头一键更换

- **Torx Bits** 扭矩调节头 ▶ For screwing and adjusting torque according to the tightness 用于起拧螺丝，并根据紧固程度调节扭矩
- **Cutting Bits** 切割替换头 ▶ For cutting cardboard, wallpaper, cloth and carpet etc. 用于裁剪纸板、墙纸、布料、地毯等
- **Square Bits** 直角转换头 ▶ For changing operating angles 用于转换操作角度
- **Variable Bits** 变角转换头 ▶ For avoiding blind corners 用于避开操作死角





FCML01

2-IN-1 CAMP LIGHT & FLASHLIGHT

Change To Different Shape According To Different Work Environment

野营灯/手电筒 二合一

根据不同工作环境,切换合适的形态



4.0Ah Run Time ▶ **20h**

4.0Ah运行时间

Product Specification / 产品参数	
Operating Voltage/工作电压	DC20V
Power/功率	5W
LED Number/LED数量	4pcs SMD3535
Lumens /光通量	300/150Lm
Light Adjustment/亮度调节	2 Settings/2档
Direction Adjustment/角度调节	175°(12 directions)/(12档)
Recharge Time/充电时间	45min(2.0Ah)
Run Time/续航时间	20h(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	120x72x49mm
Weight (w/o battery)/产品重量(不含电池)	0.2kg







- **Floodlight/Spotlight** Suitable for different environment
- **12-Position/ 175° Adjustable** Suitable for different environment
- **Storage Hook** More convenient to use
- **泛光灯/聚光灯** 适合不同使用环境
- **12档/175°可调** 适合不同使用环境
- **可收纳挂钩** 使用更方便

FCML02

LITHIUM-ION LED LIGHT

Professional For Camping / Engineering Work / Family Emergency Lighting

锂电LED照明灯

户外露营/工程作业/家庭应急



最高2000Lm光通量

UP TO 2,000 LUMENS

Large area floodlight / High-intensity/ Long distance/ Long life

大泛光/高亮度/远距离/长寿命

Product Specification / 产品参数	
Operating Voltage/工作电压	DC20V
Power/功率	20W
LED Number/LED数量	36pcs SMD2835
Lumens /光通量	2000/900Lm
Light Adjustment/亮度调节	2 Settings/2档
Direction Adjustment/角度调节	320°
Recharge Time/充电时间	45min(2.0Ah)
Run Time/续航时间	6h(4.0Ah)
Dimension (w/o battery)/产品尺寸(不含电池)	205x170x135mm
Weight (w/o battery)/产品重量(不含电池)	0.93kg







- **36 High-intensity Led Beads** 2 brightness settings
- **Comfortable Handle** Easy to carry
- **320° Adjustable** Suitable for different environment
- **36颗高亮LED灯珠** 2档亮度可调
- **舒适把手** 方便携带
- **320°可调** 适合不同使用环境

FCML05

RECHARGEABLE CONSTRUCTION SPOTLIGHT TRIPOD

可充电工程强光探照灯 配三脚架

- Foldable Stand, Portable
- Magnetic Base, 360° Rotating Hook/lamp Head
- Built for All Weather (IP65)
- LED Lifespan: 100,000+ Hours

IP 65 | BATTERIE | >70 IRC | 150°

Product Specification / 产品参数	FCML05
Light/光源	20W COB LED, 2000LM
Battery/电池	3.7V/4400mAh
Beam Distance / 光束距离	58M
Run time / 续航时间	3-4.5h
Charging time/充电时间	4-5h
Light models/灯光模式	High-Mid-Flash-OFF
Input / Output / 输入/输出	5V/2A
Product Size/产品尺寸	30.7x5.6x5.7mm
Product Net Weight/产品净重	316g
Protection Rating/防护等级	IP65



FCML04

POCKET RECHARGEABLE FLASHLIGHT

便携口袋充电手电筒

- Dual COB Main Light + Head Flashlight
- Magnetic Base, Hook & Clip
- Corrosion-Resistant Aluminum Body
- Ultra-Thin 7mm Light Head

IP20 | 350 LUMENS | USB-C RECHARGEABLE | UP TO 7.5-HR. RUN TIME

Product Specification / 产品参数	FCML04
Bulb Type/光源	COB+SMD
Brightness/亮度	COB 1High-350LM, LOW-180LM COB2-200LM, SMD-50LM
Beam Distance / 照射距离	25M
Battery / 电池	3.7V/1100mAh
Run time / 续航时间	2-8h
Charging time/充电时间	3h
Product Size/产品尺寸	308x25x20mm
Product Net Weight/产品净重	106g
Protection Rating/防护等级	IP20

